

Nexus

- description : nexus
- author : heon
- email : khlee@repia.com
- lastupdate : 2023-09-22

Nexus

Nexus ?

- Nexus Repository .
- dependency , local nexus(cache)
- , local nexus

- IBM Nexus

1.

opt .

```
sudo mkdir -p /opt/nexus
cd /opt/nexus
```

tar .

```
sudo wget https://download.sonatype.com/nexus/3/latest-unix.tar.gz
sudo tar -xvzf latest-unix.tar.gz
```

Nexus .

Nexus systemd .

```
sudo vi /etc/systemd/system/nexus.service
```

가 .

[Unit]

Description=Nexus Repository Manager

After=network.target

[Service]

Type=forking

```
ExecStart=/opt/nexus/nexus-3.x.x-xx/bin/nexus start
```

```
ExecStop=/opt/nexus/nexus-3.x.x-xx/bin/nexus stop
```

User=nexus

Restart=on-abort

[Install]

WantedBy=multi-user.target

```

/opt/nexus/nexus-3.x.x-xx/      Nexus
      User  Nexus

```

Nexus

```
sudo useradd -M -r -s /sbin/nologin nexus
```

```
sudo chown -R nexus:nexus /opt/nexus
```

```
sudo systemctl start nexus
```

```
sudo systemctl enable nexus
```

Nexus가


```
sudo tail -f /opt/nexus/sonatype-work/nexus3/log/wrapper.log
```

URL Nexus

http://{IP}:8081/

Nexus port 8081

Nexus



2.

nexus-data/admin.password

: admin

:

* Nexus 3.17.0 admin123

Please choose a password for the admin user2 of 4

New password:

Confirm password:

Back

Next

Configure Anonymous Access3 of 4

Enable anonymous access means that by default, users can search, browse and download components from repositories without credentials. Please consider the security implications for your organization.

Disable anonymous access should be chosen with care, as it will require credentials for all users and/or build tools.

More information

☒ Enable anonymous access

☐ Disable anonymous access

Back

Next

Tip

Troubleshooting

Ref

- CentOS 7 Jenkins :: , jenkins

From:
<http://125.132.25.164/dokuwiki/> -
2023.12

Permanent link:
<http://125.132.25.164/dokuwiki/doku.php?id=wiki:3party:nexus&rev=1695345429>

Last update: 2023/09/22 10:17

