

# Nexus

- description : nexus
- author : heon
- email : khlee@repia.com
- lastupdate : 2023-09-22

## Nexus

### Nexus ?

- Nexus Repository .
- dependency , local nexus(cache)
- local nexus
- IBM Nexus

1.

opt

```
sudo mkdir -p /opt/nexus
cd /opt/nexus
```

tar

```
sudo wget https://download.sonatype.com/nexus/3/latest-unix.tar.gz
sudo tar -xvzf latest-unix.tar.gz
```

Nexus

Nexus systemd

```
sudo vi /etc/systemd/system/nexus.service
```

가

```
[Unit]
Description=Nexus Repository Manager
After=network.target

[Service]
Type=forking
ExecStart=/opt/nexus/nexus-3.x.x-xx/bin/nexus start
ExecStop=/opt/nexus/nexus-3.x.x-xx/bin/nexus stop
User=nexus
Restart=on-abort

[Install]
WantedBy=multi-user.target
```

```
/opt/nexus/nexus-3.x.x-xx/      Nexus
      User Nexus
```

Nexus

```
sudo useradd -M -r -s /sbin/nologin nexus
sudo chown -R nexus:nexus /opt/nexus
```

```
sudo systemctl start nexus
sudo systemctl enable nexus
```

Nexus가


```
sudo tail -f /opt/nexus/sonatype-work/nexus3/log/wrapper.log
```

```
URL      Nexus
```

```
http://{IP }:8081/
```

```
Nexus    port    8081
```

Nexus



2.

nexus-data/admin.password

: admin

\* Nexus 3.17.0 admin123

Please choose a password for the admin user 2 of 4

New password:

.....

Confirm password:

.....

Back

Next

Configure Anonymous Access 3 of 4

Enable anonymous access means that by default, users can search, browse and download components from repositories without credentials. Please consider the security implications for your organization.

Disable anonymous access should be chosen with care, as it will require credentials for all users and/or build tools.

More information

- Enable anonymous access
- Disable anonymous access

Back

Next

# Tip

# Troubleshooting

# Ref

- [CentOS 7 Jenkins](#) :: [jenkins](#)

From: <http://125.132.25.164/dokuwiki/> - 2023.12

Permanent link: <http://125.132.25.164/dokuwiki/doku.php?id=wiki:3party:nexus&rev=1695345429>

Last update: 2023/09/22 10:17

