

A

angle bracket [$\langle \rangle$]

B

braces [$\{ \}$] = curly braces()
 brackets [$[]$] = square brackets()
 Breakthrough [$\llbracket \rrbracket$]

M

Multinomial [$\llbracket \rrbracket$]

N

Nope [$\llbracket \rrbracket$]

P

Parentheses [$\llbracket \rrbracket$]

S

simultaneously [$\llbracket \rrbracket$]

T

terminology [$\llbracket \rrbracket$]

Y

Yep [$\llbracket \rrbracket$]

Ref

Table of Contents -- Java Syntax

Braces, brackets, and parentheses

ir

BASIC

The following terminology is used in American English (British English may be different.)

{ }	Braces ("curly braces") Braces are used to group statements and declarations . The contents of a class or interface are enclosed in braces. Method bodies and constructor bodies are enclosed in braces. Braces are used to group the statements in an if statement , a loop , or other control structures .
[]	Brackets ("square brackets") Brackets are used to index into an array .
()	Parentheses Parentheses are used for two purposes: (1) to control the order of operations in an expression, and (2) to supply parameters to a constructor or method .

From:

<http://125.132.25.164/dokuwiki/> -
2023.12

Permanent link:

<http://125.132.25.164/dokuwiki/doku.php?id=wiki:ai:english&rev=1594984974>

Last update: **2022/03/10 19:52**

