

- description :
- author :
- email : hylee@repia.com
- lastupdate : 2020-06-22

```

# Section05-3
#           (      )
#           (      )

# 1 ~ 5     if
# 1.       '가 '
q1 = {" ": " ", " ", " ": " ", " ", "가 ": " "}

# 2.       ' ' '가
q2 = {" ": " ", " ", " ": " ", " ", "가 ": " "}

# 3.
# 81 ~ 100 : A
# 61 ~ 80  : B
# 41 ~ 60  : C
# 21 ~ 40  : D
# 0 ~ 20   : E

# 4.       가           .(if      ) : 12, 6, 18

# 5.       7           ,           . (1,3 :      , 2,4 :
)

# 6 ~ 10   (while   for)

# 6.
q3 = [" ", " ", " ", " ", " ", " ", " "]

# 7. 1     100       ' '

# 8.       5

```

```
q4 = ["nice", "study", "python", "anaconda", "!"]

# 9.
q5 = ["A", "b", "c", "D", "e", "F", "G", "h"]

# 10.
q6 = ["A", "b", "c", "D", "e", "F", "G", "h"]
```

```
# Section05-3
# ( )
# ( )

# 1 ~ 5 if
# 1. '가 '
q1 = fruit = {" ": " ", " ": " ", "가 ": " "}

print(''.join([q1[s] for s in q1 if s == '가 ']))

# 2. '가 '
q2 = fruit = {" ": " ", " ": " ", "가 ": " "}

hasApple = [' !' for key, val in q2.items() if key == ' ' or val == '
']

if len(hasApple) > 0:
    print(' ')
else:
    print(' ——')

# 3.
# 81 ~ 100 : A
# 61 ~ 80 : B
# 41 ~ 60 : C
# 21 ~ 40 : D
# 0 ~ 20 : E

score = 100
grade = ''
if 0 < score > 100:
    grade = ' 가'
elif score > 80:
    grade = 'A'
elif score > 60:
    grade = 'B'
```

```

elif score > 40:
    grade = 'C'
elif score > 20:
    grade = 'D'
elif score >= 0:
    grade = 'E'

```

```
print(grade)
```

# 4.                   가                   .(if           ): 12, 6, 18

```

a = 12
b = 6
c = 18
best = 0

```

```

best = a
if b > a:
    best = b
if c > b:
    best = c

```

```
print(best)
```

# 5.                   7                   ,                   .(1,3 :           , 2,4 :

)

```

s = '891022-2473837'
if int(s[7]) % 2 == 0:
    print(' ')
else:
    print(' ')

```

# 6 ~ 10                   (while           for)

```

# 6.                   ' '                   .
q3 = [" ", " ", " ", " ", " ", " "]

```

```
print(''.join([s for s in q3 if s != ' ']))
```

# 7.1           100                   ' '                   .

```
print(' '.join([str(s) for s in range(1, 100) if int(s) % 2 == 1]))
```

```

# 8.                   5                   .
q4 = ["nice", "study", "python", "anaconda", "!"]

```

```
print([s for s in q4 if len(s) >= 5])

# 9.
q5 = ["A", "b", "c", "D", "e", "F", "G", "h"]

print([s for s in q5 if s.islower()])

# 10.
q6 = ["A", "b", "c", "D", "e", "F", "G", "h"]

print([s.upper() if s.islower() else s.lower() for s in q5])
```

## Tip

, [python](#),

From: <http://125.132.25.164/dokuwiki/> -

. - 2023.12

Permanent link: [http://125.132.25.164/dokuwiki/doku.php?id=wiki:ai:python:%EB%B0%98%EB%B3%B5%EB%AC%B8\\_%EC%A4%91%EA%B0%84%EC%A0%90%EA%B2%80&rev=1592904627](http://125.132.25.164/dokuwiki/doku.php?id=wiki:ai:python:%EB%B0%98%EB%B3%B5%EB%AC%B8_%EC%A4%91%EA%B0%84%EC%A0%90%EA%B2%80&rev=1592904627)

Last update: 2022/03/10 19:52

