

- description :
- author :
- email : hylee@repia.com
- lastupdate : 2020-06-22

```
# Section05-3
#          (      )
#          (      )

# 1 ~ 5      if
# 1.          '가 '
q1 = { " " : " ", " " : " ", "가 " : " " }

# 2.          ' ' '가
q2 = { " " : " ", " " : " ", "가 " : " " }

# 3.
# 81 ~ 100 : A
# 61 ~ 80  : B
# 41 ~ 60  : C
# 21 ~ 40  : D
#  0 ~ 20  : E

# 4.          가          . (if      ) : 12, 6, 18

# 5.          7          ,          . (1,3 :      , 2,4 :
      )

# 6 ~ 10      (while      for)

# 6.          ' '
q3 = [ " ", " ", " ", " ", " ", " " ]

# 7. 1      100          ' '

# 8.          5          .
```

```
q4 = ["nice", "study", "python", "anaconda", "!" ]
```

```
# 9.
```

```
q5 = ["A", "b", "c", "D", "e", "F", "G", "h"]
```

```
# 10.
```

```
q6 = ["A", "b", "c", "D", "e", "F", "G", "h"]
```

```
# Section05-3
```

```
# ( )  
# ( )
```

```
# 1 ~ 5 if
```

```
# 1. '가 '  
q1 = fruit = {" ": " ", " ": " ", "가 ": " " }
```

```
print(''.join([q1[s] for s in q1 if s == '가 ']))
```

```
# 2. ' '가 .
```

```
q2 = fruit = {" ": " ", " ": " ", "가 ": " " }
```

```
hasApple = [' !' for key, val in q2.items() if key == ' ' or val == '  
']
```

```
if len(hasApple) > 0:
```

```
    print(' ')
```

```
else:
```

```
    print(' ——')
```

```
# 3.
```

```
# 81 ~ 100 : A
```

```
# 61 ~ 80 : B
```

```
# 41 ~ 60 : C
```

```
# 21 ~ 40 : D
```

```
# 0 ~ 20 : E
```

```
score = 100
```

```
grade = ''
```

```
if 0 < score > 100:
```

```
    grade = ' 가'
```

```
elif score > 80:
```

```
    grade = 'A'
```

```
elif score > 60:
```

```
    grade = 'B'
```

```
elif score > 40:
    grade = 'C'
elif score > 20:
    grade = 'D'
elif score >= 0:
    grade = 'E'
```

```
print(grade)
```

4. 가 .(if) : 12, 6, 18

```
a = 12
b = 6
c = 18
best = 0
```

```
best = a
if b > a:
    best = b
if c > b:
    best = c
```

```
print(best)
```

5. 7, . (1,3 : , 2,4 :)

```
s = '891022-2473837'
if int(s[7]) % 2 == 0:
    print(' ')
else:
    print(' ')

```

6 ~ 10 (while for)

```
# 6.
q3 = [ " ", " ", " ", " ", " ", " ", " " ]
```

```
print(''.join([s for s in q3 if s != ' ']))
```

7.1 100 ' ' .

```
print(' '.join([str(s) for s in range(1, 100) if int(s) % 2 == 1]))
```

```
# 8.
q4 = ["nice", "study", "python", "anaconda", "!"]
```

```
print([s for s in q4 if len(s) >= 5])

# 9.
q5 = ["A", "b", "c", "D", "e", "F", "G", "h"]

print([s for s in q5 if s.islower()])

# 10.
q6 = ["A", "b", "c", "D", "e", "F", "G", "h"]

print([s.upper() if s.islower() else s.lower() for s in q5])
```

Tip

, [python](#),

From:
<http://125.132.25.164/dokuwiki/> -

. - 2023.12

Permanent link:
http://125.132.25.164/dokuwiki/doku.php?id=wiki:ai:python:%EB%B0%98%EB%B3%B5%EB%AC%B8_%EC%A4%91%EA%B0%84%EC%A0%90%EA%B2%80&rev=1592904642

Last update: 2022/03/10 19:52

