

# Numpy

- description : numpy
- author :
- email : hylee@repia.com
- lastupdate : 2020-07-14

```
[1] 1 import numpy as np
```

```
[12] 1 # 0 차원  
2 a = np.array(1)  
3 print(a.shape, a.ndim)
```

```
↳ (,) 0
```

```
[13] 1 # 1 차원  
2 a = np.array([1])  
3 print(a.shape, a.ndim)
```

```
↳ (1,) 1
```

```
[16] 1 # 2 차원  
2 a = np.array([[1, 2, 3],[1, 2, 3],[1, 2, 3]])  
3 print(a.shape, a.ndim)
```

```
↳ (3, 3) 2
```

```
[19] 1 # 2 차원  
2 a = np.array([[1]])  
3 print(a.shape, a.ndim)
```

```
↳ (1, 1) 2
```

```
▶ 1 # 3 차원  
2 a = np.array([[[1, 2], [1, 2], [1, 2]],[[1, 2], [1, 2], [1, 2]]])  
3 print(a.shape, a.ndim)
```

```
↳ (2, 3, 2) 3
```

## Numpy

## Google\_Colab

```
[1] 1 import numpy as np
```

```
[12] 1 # 0 차원  
2 a =np.array(1)  
3 print(a.shape, a.ndim)
```

```
↳ () 0
```

```
[13] 1 # 1 차원  
2 a =np.array([1])  
3 print(a.shape, a.ndim)
```

```
↳ (1,) 1
```

```
[16] 1 # 2 차원  
2 a =np.array([[1, 2, 3],[1, 2, 3],[1, 2, 3]])  
3 print(a.shape, a.ndim)
```

```
↳ (3, 3) 2
```

```
[19] 1 # 2 차원  
2 a =np.array([[1]])  
3 print(a.shape, a.ndim)
```

```
↳ (1, 1) 2
```

```
▶ 1 # 3 차원  
2 a =np.array([[[1, 2], [1, 2], [1, 2]],[[1, 2], [1, 2], [1, 2]]])  
3 print(a.shape, a.ndim)
```

```
↳ (2, 3, 2) 3
```

# Tip

, [numpy](#)

From: <http://125.132.25.164/dokuwiki/> -

. - 2023.12



Permanent link: [http://125.132.25.164/dokuwiki/doku.php?id=wiki:ai:python:library:numpy\\_%EC%B0%A8%EC%9B%90&rev=1594715518](http://125.132.25.164/dokuwiki/doku.php?id=wiki:ai:python:library:numpy_%EC%B0%A8%EC%9B%90&rev=1594715518)

Last update: **2022/03/10 19:52**