

# Bootstrap Get Started

- description : Bootstrap Get Started
- author :
- email : shlim@repia.com
- lastupdate : 2021-03-23

## What is Bootstrap?

- typography, forms, buttons,
- tables, navigation, modals, image carousels
- 가
- .

(Responsive Web Design)

Bootstrap Example

## My First Bootstrap Page

Resize this responsive page to see the effect!

### Column 1

Lorem ipsum dolor sit amet, consectetur adipisicing elit...

Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris...

### Column 2

Lorem ipsum dolor sit amet, consectetur adipisicing elit...

Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris...

## Column 3

Lore ipsum dolor sit amet, consectetur adipisicing elit...

Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris...

## Bootstrap History

(Mark Otto)

(Jacob Thornton)

, 2011 8

2014 6 ,

## Why Use Bootstrap?

- : HTML CSS
- : CSS ,
- : 3 ,
- : ( , , , , )

## Where to Get Bootstrap?

가

- getbootstrap.com
- CDN

## Bootstrap CDN

, CDN (Content Delivery Network)

MaxCDN

CSS JavaScript

CDN


jQuery

## MaxCDN:

```
<!-- Latest compiled and minified CSS -->
<link rel="stylesheet"
href="https://maxcdn.bootstrapcdn.com/bootstrap/3.4.1/css/bootstrap.min.css"
>

<!-- jQuery library -->
<script
src="https://ajax.googleapis.com/ajax/libs/jquery/3.5.1/jquery.min.js"></script>

<!-- Latest compiled JavaScript -->
<script
src="https://maxcdn.bootstrapcdn.com/bootstrap/3.4.1/js/bootstrap.min.js"></script>
```



## Create First Web Page With Bootstrap

### 1. Add the HTML5 doctype

```
HTML5 doctype
lang
```

### 2. Bootstrap 3 is mobile-first

3

```
<meta>           /   (touch zooming)           , <head>
                가

width=device-width      (          )
```

initial-scale=1  
(zoom level)

/

### 3. Container

(containing element) 가

가

1. .container
2. .container-fluid (viewport)

## Two Basic Bootstrap Pages

가

Bootstrap Example

## My First Bootstrap Page

This part is inside a **.container-fluid class**.

The **.container-fluid class** provides a full width container, spanning the entire width of the viewport.

, [Bootstrap](#), [Get Started](#)

From:  
<http://125.132.25.164/dokuwiki/> - .. - 2023.12



Permanent link:  
[http://125.132.25.164/dokuwiki/doku.php?id=wiki:bootstrap:bootstrap\\_note:bs\\_get\\_started&rev=1616542574](http://125.132.25.164/dokuwiki/doku.php?id=wiki:bootstrap:bootstrap_note:bs_get_started&rev=1616542574)

Last update: **2022/03/10 19:52**