

CSS [attribute*=value] Selector

- description : CSS [attribute*=value] Selector
- author :
- email : shlim@repia.com
- lastupdate : 2021-07-06 Tue

The source of this article

[CSS \[attribute*=value\] Selector](#)

Example

“test”

<div>

.

```
<style>
  div[class*="test"] {
    background: #ffff00;
  }
  /* "test"          가          div          */
</style>
```

```
</head>
```

```
<body>
```

```
<div class="first_test">The first div element.</div>
<div class="second">The second div element.</div>
<div class="test">The third div element.</div>
<p class="test">This is some text in a paragraph.</p>
```

```
</body>
```

The first div element.

The second div element.

The third div element.

This is some text in a paragraph.

Definition and Usage

[attribute*= value]

가

CSS Syntax

```
attribute *= value{  
  css declarations;  
}
```

More Examples

Example

“test”

가

```
<style>  
  [class*="test"] {  
    background: #ffff00;  
  }  
  /* "test" 가 */  
</style>  
  
</head>  
<body>  
  
  <div class="first_test">The first div element.</div>  
  <div class="second">The second div element.</div>  
  <div class="test">The third div element.</div>  
  <p class="test">This is some text in a paragraph.</p>  
  
</body>
```

The first div element.

The second div element.

The third div element.

This is some text in a paragraph.

., CSS, [attribute*=value], Selector,

From:
<http://125.132.25.164/dokuwiki/> -

. - 2023.12



Permanent link:
http://125.132.25.164/dokuwiki/doku.php?id=wiki:css_note:atttribute_value_selector&rev=1625542708

Last update: **2022/03/10 19:52**