

# CSS :active Selector

- description : CSS :active Selector
- author :
- email : shlim@repia.com
- lastupdate : 2021-04-06

## Ref

CSS :active Selector

\_\_\_\_\_ (active link)

```

<!DOCTYPE html>
<head>
  <style>
    a:active {background-color: yellow;}
  </style>
</head>
<body>
  <a href="https://www.w3schools.com">w3schools.com</a>
  <a href="https://www.wikepeida.org">wikipedia.org</a>
  <p><b>Note:</b> The :active selector styles the active link.</p>
</body>
</html>

```

## Definition and Usage

:active

**Tip:** :active

- Tip:**
- :link**
- :visited**
- :hover**

**Note:** :active가 , CSS :hover ( ) !

## CSS Syntax

```
:active {  
  css declarations;  
}
```

## More Example

, <p>, <h1> <a>

```
<!DOCTYPE html>  
<head>  
  <style>  
    p:active, h1:active,a:active {background-color: yellow;}  
  </style>  
</head>  
<body>  
  <h1>Welcome to My Homepage</h1>  
  <div class="intro">  
    <h2 id="firstname">My name is Donald</h2>  
    <p id="hometown">I live in Duckburg</p>  
    <p>My <b>best</b> friend is Mickey</p>  
  </div>  
  <h2>Links:</h2>  
  <p>Here are my favorite websites:</p>  
  <a href="https://www.w3schools.com">w3schools.com</a>  
  <a href="http://www.disney.com" target="_blank">disney.com</a>  
  <a href="https://www.naver.com" target="_top">naver.com</a>  
  <p><b>Note:</b>Click on the paragraph, headers, and links to see what is  
getting a style.</p>  
  <p><b>Note:</b>In IE7, this example will only work on links.</p>  
</body>  
</html>
```

unvisited, visited, hover,

```
<!DOCTYPE html>  
<head>  
  <style>  
    /* unvisited link */  
    a:link {color: crimson;}  
    /* visited link */  
    a:visited {color: green;}  
    /* mouse over link */  
    a:hover {color: red;}  
    /* selected link */
```

```

    a:active {color: dodgerblue;}
  </style>
</head>
<body>
  <p>Mouse over and click the link: <a
href="https://www.w3schools.com">w3schools.com</a></p>
</body>
</html>

```

```

<!DOCTYPE html>
<head>
  <style>
    a.ex1:hover, a.ex1:active {color: red;}
    a.ex2:hover, a.ex2:active {font-size: 150%;}
    a.ex3:hover, a.ex3:active {background: red;}
    a.ex4:hover, a.ex4:active {font-family: monospace;}
    a.ex5:visited, a.ex5:link {text-decoration: none;}
    a.ex5:hover, a.ex5:active {text-decoration: underline;}
  </style>
</head>
<body>
  <p>Mouse over the links to see them change layout.</p>
  <p><a class="ex1" href="default.asp">This link changes color</a></p>
  <p><a class="ex2" href="default.asp">This link changes font-size</a></p>
  <p><a class="ex3" href="default.asp">This link changes background-
color</a></p>
  <p><a class="ex4" href="default.asp">This link changes font-family</a></p>
  <p><a class="ex5" href="https://www.naver.com">This link changes text-
decoration</a></p>
</body>
</html>

```

„ CSS, active, Selector,

From: <http://125.132.25.164/dokuwiki/> -

. - 2023.12

Permanent link: [http://125.132.25.164/dokuwiki/doku.php?id=wiki:css:css\\_note:css:active\\_selector&rev=1617751277](http://125.132.25.164/dokuwiki/doku.php?id=wiki:css:css_note:css:active_selector&rev=1617751277)

Last update: 2022/03/10 19:52

