

# CSS

- description : CSS
- author :
- email : dhan@repia.com
- lastupdate : 2020-03-13

---

WIKI: [HTML JAVASCRIPT](#)

---

## Plugin

### font-awesome

```
<link href="/fonts/font-awesome/css/all.min.css" rel="stylesheet"/>
<link rel="stylesheet" href="/components/font-awesome/css/font-
awesome.min.css">
```

### bootstrap

```
<link rel="stylesheet"
href="/components/bootstrap/dist/css/bootstrap.min.css">
```

### Ionicons

, SVG

```
<link rel="stylesheet" href="/components/Ionicons/css/ionicons.min.css">
```

### AdminLTE

Bootstrap , Adminlet3

```
<link rel="stylesheet" href="/dist/css/AdminLTE.min.css">
```

## iCheck

```
<link rel="stylesheet" href="/plugins/iCheck/square/blue.css">
```

## google font

```
<link rel="stylesheet" href="https://fonts.googleapis.com/css?family=Source+Sans+Pro:300,400,600,700,300italic,400italic,600italic">
```

## overlayScrollbars

```
<link th:href="{#HttpServletRequest.getContextPath()+'/plugins/overlayScrollbars/css/OverlayScrollbars.min.css'" rel="stylesheet" />
```

## daterangepicker

```
<link th:href="{#HttpServletRequest.getContextPath()+'/plugins/daterangepicker/daterangepicker.css'" rel="stylesheet" />
```

## summernote-bs4.css

```
<link th:href="{#HttpServletRequest.getContextPath()+'/plugins/summernote/summernote-bs4.css'" rel="stylesheet" />
```

## bootstrap

# How To Add CSS

## External CSS

```
<!DOCTYPE html>
<html>
<head>
  <link rel="stylesheet" type="text/css" href="mystyle.css" />
</head>
<body>
</body>
</html>
```

## Internal CSS

```
<!DOCTYPE html>
<html>
<head>
<style>
body {
  background-color: linen;
}

h1 {
  color: maroon;
  margin-left: 40px;
}
</style>
</head>
<body>
</body>
</html>
```

## [How To Add CSS](#)

## Tag Cloud

<https://demo.chattymango.com/shuffle-box/>  
<http://dimox.name/beautiful-tags-markup/>

## Tip

### CSS

```
span {
```

```

/* all: unset !important; */
all: unset;
}

```

### CSS

- CSS
- property: value !important;

<code html>

```
color: red !important;
```

```
color: blue;
```

```
color: green !important;
```

</code CSS

## Ref

- [COOL AND RESPONSIVE BUTTONS WITH A FEW LINES OF CSS](#)
- [Ultimate Blocks - Gutenberg Blocks Plugin](#)

## SCSS

Sass(Syntactically Awesome StyleSheets) 가

Scss CSS pre-processor CSS CSS

- 
- 
- Import
- Nesting
- Mixin
- Extend / Inheritance

가

Sass 가

Sass(.scss) CSS

- [Sass](#)

(Header Label ), ~ ( jhgong,  
 2020-05-29  
 , [button](#)

From:

<http://125.132.25.164/dokuwiki/> -  
. - 2023.12

Permanent link:

<http://125.132.25.164/dokuwiki/doku.php?id=wiki:css&rev=1597979138>

Last update: **2022/03/10 19:52**

