

, Oracle

- description :
- author :
- email : dhan@repia.com
- lastupdate : 2023-03-25

/

1. ()

```
sqlplus "/as sysdba"  
SQL>
```

2. (Shell)

```
$> lsnrctl stop
```

3.

```
SQL> shutdown immediate
```

4.

```
SQL> startup
```

5.

```
$> lsnrctl start
```

DB

1. 2. 3.

DML()

VIEW

```
SELECT view_name, text FROM USER_VIEWS WHERE view_name = 'VW_SEARCH_BOARD'
```

DDL

```
SQL> CREATE USER ${USER} IDENTIFIED BY "${PASSWORD}"
      DEFAULT TABLESPACE ${TABLESPACE}
      TEMPORARY TABLESPACE ${TEMP_TABLESPACE}
      QUOTA UNLIMITED ON ${TABLESPACE};
```

```
SQL> GRANT CREATE SESSION, CREATE TABLE TO ${USER}
```

```
SQL> DROP USER ${USER} cascade;
```

LOCK (dba user , system, ...)

```
SQL> SELECT * FROM DBA_USERS;
SQL> ALTER USER ${USER} ACCOUNT UNLOCK;
```

(ORA-65096: .)

```
REGEXP_REPLACE( , '([[:punct:][:space:]])', '')
```

```
[SQL] sysdate ,
```

(BITAND, BITOR(가))

[] (bit)
There is no BITOR() in Oracle SQL

n

[Oracle] n 2가

View

```
SQL> SELECT view_name, text FROM USER_VIEWS WHERE VIEW_NAME = '${TableName}'
```

```
SQL> SELECT TABLE_NAME, COLUMN_NAME, DATA_TYPE FROM USER_TAB_COLS WHERE TABLE_NAME = '${TableName}';
```

[Oracle] (Sequence) (가,)

12 JDBC 가 30byte , 12 256byte

```
ojdbc14.jar - jdk1.4
ojdbc6.jar - jdk6
ojdbc7.jar - jdk7
ojdbc8.jar - jdk8
```

SQL Developer

```
${SQL }/ide/bin 'ide.conf' .
```

```
AddVMOption -Xms128M
AddVMOption -Xmx800M
```

SQL DEVELOPER

Tip

Troubleshooting

- [ORA-01555 Snapshot too old](#)

Ref

- [Oracle]
 - sid, service name
 - centos7 oracle 11g r2 1/5 -
 - Oracle 11g Instance
 - [Admin][Oracle]
 - [ORACLE]DB 1 -Original Utility exp/imp
 - [Oracle] (Sequence) (, , ,)
 - (alter sequence startwith ???)
 - 1.
 - CentOS7 18c
- , , , slaptear, , oracle, view

From:
<http://125.132.25.164/dokuwiki/> -
 . - 2023.12

Permanent link:
<http://125.132.25.164/dokuwiki/doku.php?id=wiki:database:oracle>

Last update: **2023/06/01 12:59**

