, Oracle

/

1.   (   )

```
sqlplus "/as sysdba"
SQL>
```

2.

```
$> lsnrctl stop
```

3.

```
SQL> shutdown immediate
```

4.

```
SQL> startup
```

5.$> lsnrctl start

DML(   )

VIEW

```
SELECT view_name, text FROM USER_VIEWS WHERE view_name = 'VW_SEARCH_BOARD'
```

DDL

```
SQL> CREATE USER ${USER} IDENTIFIED BY "${PASSWORD}"
     DEFAULT TABLESPACE ${TABLESPACE}
     TEMPORARY TABLESPACE ${TEMP_TABLESPACE}
```

```
        QUOTA UNLIMITED ON ${TABLESPACE};
```

```
SQL> GRANT CREATE SESSION, CREATE TABLE TO ${USER}
```

```
SQL> DROP USER ${USER} cascade;
```

    LOCK   (dba user   , system, …)

```
SQL> SELECT * FROM DBA_USERS;
SQL> ALTER USER ${USER} ACCOUNT UNLOCK;
```

          ,

View   SELECT

```
SQL> SELECT view_name, text FROM USER_VIEWS WHERE VIEW_NAME = '${TableName}'
```

```
SQL> SELECT TABLE_NAME, COLUMN_NAME, DATA_TYPE FROM USER_TAB_COLS WHERE
TABLE_NAME = '${TableName}';
```

    12   30byte   , 12   256byte
              JDBC

```
ojdbc14.jar - jdk1.4
ojdbc6.jar - jdk6
ojdbc7.jar - jdk7
ojdbc8.jar - jdk8
```

SQL Developer

${SQL   }/ide/bin   'ide.conf'   .

```
AddVMOption  -Xms128M
AddVMOption  -Xmx800M
```

SQL DEVELOPER

Ref

- [Oracle]
- sid, service name
- centos7 oracle 11g r2 1/5 -
- Oracle 11g Instance
- [Admin][Oracle]
- [ORACLE]DB 1 -Original Utility exp/imp

- [Oracle] (Sequence) (, , ,)
- (alter sequence startwith ???)
- 1.

, , , oracle, view