

, Oracle

- description :
- author :
- email : dhan@repia.com
- lastupdate : 2020-03-09

/

1. ()

```
sqlplus "/as sysdba"
SQL>
```

2. (Shell)

```
$> lsnrctl stop
```

3.

```
SQL> shutdown immediate
```

4.

```
SQL> startup
```

5.

```
$> lsnrctl start
```

DB

1. 2. 3.

DML()

VIEW

```
SELECT view_name, text FROM USER_VIEWS WHERE view_name = 'VW_SEARCH_BOARD'
```


SQL Developer

`}${SQL }/ide/bin 'ide.conf'`

```
AddVMOption -Xms128M
AddVMOption -Xmx800M
```

SQL DEVELOPER

```
REGEXP_REPLACE( , '([[:punct:]][[:space:]])', '' )
```

Ref

- [Oracle]
 - sid, service name
 - centos7 oracle 11g r2 1/5 -
 - Oracle 11g Instance
 - [Admin][Oracle]
 - [ORACLE]DB 1 -Original Utility exp/imp
 - [Oracle] (Sequence) (, , ,)
 - (alter sequence startwith ???)
 - 1.
- , , , , oracle, view

From:
<http://125.132.25.164/dokuwiki/> -
2023.12

Permanent link:
<http://125.132.25.164/dokuwiki/doku.php?id=wiki:database:oracle&rev=1610948232>

Last update: **2022/03/10 19:52**

