

HTML Tutorial - HTML Block & Inline Elements

- description : HTML Tutorial - HTML Block & Inline Elements
- author :
- email : shlim@repia.com
- lastupdate : 2021-05-11

Source of the article

[HTML Block and Inline Elements](#)

HTML

block inline 가 가

Block-level Elements

- (A block-level element)

- 가 (가)

margin 가 , 가

<div>

Example

```

<!DOCTYPE html>
<html>
<body>

  <div style="border: 1px solid black">Hello World</div>

  <p>The Div element is a block element, and will always start on a new line
  and take up the full width available (stretches out to the left and right
  as far as it can).</p>

</body>

```

`</html>`

HTML

<code><address></code>	<code><article></code>	<code><aside></code>	<code><blockquote></code>	<code><canvas></code>
<code><dd></code>	<code><div></code>	<code><dl></code>	<code><dt></code>	<code><fieldset></code>
<code><figcaption></code>	<code><figure></code>	<code><footer></code>	<code><form></code>	<code><h1>~<h6></code>
<code><header></code>	<code><hr></code>	<code></code>	<code><main></code>	<code><nav></code>
<code><noscript></code>	<code></code>	<code><p></code>	<code><pre></code>	<code><section></code>
<code><table></code>	<code><tfoot></code>	<code></code>	<code><video></code>	

Inline Elements

inline

inline

``

Example

```
<!DOCTYPE html>
<html>
<body>

  <p>This is an inline span <span style="border: 1px solid crimson">
  Hello World!</span> element inside a paragraph.</p>

  <p>Ths SPAN element is an inline element, and will not start on a new line
  and only takes up as much width as necessary.</p>

</body>
</html>
```

HTML inline

<code><a></code>	<code><abbr></code>	<code><acronym></code>	<code></code>	<code><bdo></code>
<code><big></code>	<code>
</code>	<code><button></code>	<code><cite></code>	<code><code></code>
<code><dfn></code>	<code></code>	<code><i></code>	<code></code>	<code><input></code>
<code><kbd></code>	<code><label></code>	<code><map></code>	<code><object></code>	<code><output></code>
<code><q></code>	<code><samp></code>	<code><script></code>	<code><select></code>	<code><small></code>
<code></code>	<code></code>	<code><sub></code>	<code><sup></code>	<code><textarea></code>

```
<time> <tt> <var>
```

Note: inline

The <div> Element

```
<div> HTML
```

```
<div> (attribute) style, class id
```

```
CSS , <div>
```

Example

```
<div style="background-color: black;color: white;padding: 20px;">
  <h2>London</h2>
  <p>
    London is the capital city of England. It is the most populous city
    in the United Kingdom, with a metropolitan area of over 13 million
    inhabitants.
  </p>
  <p>
    Standing on the River Thames, London had been a major settlement for
    two millennia,
    its history going back to its founding by the Romans, who named it
    Londinium.
  </p>
</div>
```

The Element

```
<span>
```

```
<span> style, class id
```

```
CSS <span>
```

Example

```
<h1>The span element</h1>
<p>
  My Mother has <span style="color:blue ; font-weight:bold">blue</span>
  eyes and my father
  has <span style="color:darkolivegreen; font-weight: bolder;">dark
```

```
green</span> eyes .  
</p>
```

Chapter Summary

- 가 : block inline
- 가
- .
- HTML
- inline

HTML Tags

Tag	Description
<div>	.
	.

HTML

, [HTML Element Reference](#)

, [HTML, Block, and, Inline, Elements](#)

From: <http://125.132.25.164/dokuwiki/> -

. - 2023.12

Permanent link:

http://125.132.25.164/dokuwiki/doku.php?id=wiki:html:html_note:html_block_inline&rev=1620696694

Last update: 2022/03/10 19:52

