

HTMLCollection a collection of nodes
0

Tip:
HTMLCollection 가

Syntax

```
document.getElementsByClassName(classname)
```

Parameter Values

| Parameter | Type | Description |
|-----------|--------|----------------------|
| classname | String | , 가 , "test demo" |

Technical Details

: HTMLCollection , 가

"example" "color" 가 가

```
<!DOCTYPE html>
<html>
<head>
  <style>
    div {
      border: 1px solid #000;
      margin: 5px;
    }
  </style>
</head>
<body>
  <div class="example">
    <p>P element in first div with class="example". Div's index is
0.</p>
  </div>
  <div class="example color">
    <p>P element in first div wikth class="example color". Div's index
is 0.</p>
  </div>
</body>
</html>
```

```

</div>
<div class="exmple color">
  <p>P element in second div with class="example color". Div's index
is 1.</p>
</div>
<p>Click the button to change the background color of the first div
element with the classes "exmaple" and "color".</p>
<button onclick="myFunction()">Try it</button>
<p><strong>Note:</strong> The getElementsByClassName() method is not
supported in Internet Explorer 8 and earlier version.</p>
<script>
  function myFunction() {
    var x = document.getElementsByClassName("example color");
    x[0].style.backgroundColor = "red";
  }
</script>
</body>
</html>

```

HTMLCollection length , class="example" 가

```

<!DOCTYPE html>
<html>
<body>
  <div class="example">
    A div element with class="example"
  </div>
  <div class="example">
    Another div element with class="example"
  </div>
  <p class="example">A p element with class="example"</p>
  <p>Click the button to find out how many elements with class "exmple"
there are in this document.</p>
  <button onclick="myFunction()">Try it!</button>
  <p><strong>Note:</strong>The getElementsByClassName() method is not
supported in Internet Explorer 8 and earlier versions.</p>
  <p id="demo"></p>
  <script>
    function myFunction() {
      var x = document.getElementsByClassName("example");
      document.getElementById("demo").innerHTML = x.length;
    }
  </script>
</body>
</html>

```

class="example" 가

```
<!DOCTYPE html>
<html>
<head>
  <style>
    .example {
      border: 1px solid #000;
      margin: 5px;
    }
  </style>
</head>
<body>
  <div class="example">
    A div with class="example"
  </div>
  <div class="example">
    Another div with class="example"
  </div>
  <p class="example">This is a p element with class="example".</p>
  <p>This is a <span class="example">span</span> element with
class="example" inside another p element.</p>
  <p>Click the button to change the background color of all elements with
class="example"</p>
  <button class="example" onclick="myFunction()">Try it!</button>
  <p><strong>Note:</strong>The getElementsByClassName() method is not
supported in Internet Explorer 8 and eralier versions.</p>
  <script>
    function myFunction() {
      var x = document.getElementsByClassName("example");
      var i;
      for (i = 0; i < x.length; i++) {
        x[i].style.backgroundColor = "red";
      }
    }
  </script>
</body>
</html>
```

, [HTML](#), [DOM](#), [getElementsByClassName\(\)](#), [Method](#)

From:
<http://125.132.25.164/dokuwiki/> -

. - 2023.12

Permanent link:
http://125.132.25.164/dokuwiki/doku.php?id=wiki:html:html_note:html_dom_getelementsbyclassname_method&rev=1617772340

Last update: **2022/03/10 19:52**

