

# HTML Forms - HTML Forms

- description : HTML Forms - HTML Forms
- author :
- email : shlim@repia.com
- lastupdate : 2021-05-11

## The Source of this article

[HTML Forms](#)

HTML form

### Example

```
<!DOCTYPE html>
<html>
<body>

  <h2>HTML Forms</h2>

  <form action="/action_page.php">
    <label for="fname">First name</label><br>
    <input type="text" id="fname" name="fname" value="John"><br>
    <label for="lname">Last name</label><br>
    <input type="text" id="lname" name="lname" value="Doe"><br><br>
    <input type="submit" value="Submit">
  </form>

  <p>
    If you click the "Submit" button, the form-data will be sent to a page
    called "/action_page.php".
  </p>

</body>
</html>
```

## The <form> Element

HTML "<form>"

HTML form

```
<form>
.
form elements
.
</form>
```

<form>

## The <input> Element

HTML <input> 가

<input> type

Type	Description
<b>&lt;input type="text"&gt;</b>	
<input type="radio">	( )
<b>&lt;input type="checkbox"&gt;</b>	(0 )
<input type="submit">	( )
<b>&lt;input type="button"&gt;</b>	가

## Text Fields

<input type="text">

### Example

가 :

```
<body>
.
<h2>Text Input Fields</h2>
.
<form>
.
<label for="fname">First name:</label><br>
```

```



```

## The <label> Element

<label>	.
<label>	(label)
가	가
<label>	.
<label>	( : )
/ 가	가 <label>
<label> for	<input> id

## Radio Buttons

<input type="radio">	.
----------------------	---

### Example

```

<body>

<h2>Radio Buttons</h2>

<form>
  <input type="radio" id="male" name="gender" value="male">
  <label for="male">Male</label><br>

  <input type="radio" id="female" name="gender" value="female">
  <label for="female">female</label><br>

```

```
<input type="radio" id="other" name="gender" value="other">
<label for="other">Other</label>
</form>

</body>
```

## Checkboxes

```
<input type="checkbox">
```

0

### Example

가

```
<body>

<h2>Checkboxes</h2>
<p>The <strong>input type="checkbox"</strong> defines a checkbox:</p>

<form action="/action_page.php">
  <input type="checkbox" id="vehicle1" name="vehicle1" value="Bike">
  <label for="vehicle1"> I have a bike</label><br>

  <input type="checkbox" id="vehicle2" name="vehicle2" value="Car">
  <label for="vehicle2"> I have a car</label><br>

  <input type="checkbox" id="vehicle3" name="vehicle3" value="Boat">
  <label for="vehicle3"> I have a boat</label><br><br>

  <input type="submit" value="submit">
</form>
</body>
```

## The Submit Button

```
<input type="submit"> - (form-handler) (form ddata)
```

가

- action .

### Example

```

<body>

  <h2>HTML Forms</h2>

  <form action="/action_page.php">
    <label for="fname">First name:</label><br>
    <input type="text" id="fname" name="fname" value="John"><br>

    <label for="lname">Last name:</label><br>
    <input type="text" id="lname" name="lname" value="Doe"><br><br>

    <input type="submit" value="submit">

    <p>
      If you click the "Submit" button, the form-data will be sent to a page
      called "/action_page.php".
    </p>
  </form>

</body>

```

## The Name Attribute for <input>

name .

name , .

### Example

"First name" .

```

<body>

  <h2>The name Attribute</h2>

  <form action="/action_page.php">
    <label for="fname">First name:</label><br>
    <input type="text" id="fname" value="John"><br><br>

    <input type="submit" value="submit">

```

```
<p>
  If you click the "Submit" button, the form-data will be sent to a page
  called "/action.page.php".
</p>

<p>
  Notice that the value of the "First name" field will not be submitted,
  because the input element does not have a name attribute.
</p>
</form>

</body>
```

, [HTML](#), [Block](#), and, [Inline](#), [Elements](#)

From: <http://125.132.25.164/dokuwiki/> -

. - 2023.12

Permanent link: [http://125.132.25.164/dokuwiki/doku.php?id=wiki:html:html\\_note:html\\_forms&rev=1621574308](http://125.132.25.164/dokuwiki/doku.php?id=wiki:html:html_note:html_forms&rev=1621574308)

Last update: **2022/03/10 19:52**

