

HTML Links

- description : HTML Links
- author :
- email : shlim@repia.com
- lastupdate : 2021-04-09

Source of the article

- [HTML Links](#)

(Links)

HTML Links - Hyperlinks

HTML (Hyperlinks)

가

Note:

가

HTML 가

!

HTML Links -Syntax

HTML <a>

```
<a href="url">Link text</a>
```

<a>

가

href

link

가

URL

```
<a href="https://www.w3schools.com/">Visit W3Schools.com!</a>
```

- (unvisited link) blue
- (visited link) purple
- (active link) red

Tip: CSS 가

HTML Links - The target Attribute

target

target 가

- _self - /
- _blank -
- _parent -
- _top -

target = "_blank"

```
<a href="https://www.w3schools.com/" target="_blank">Visit W3Schools!</a>
```

Absolute URLs vs. Relative URLs

href (absolute URL) ()

local link ()

(relative URL)("https://www ")

```
<h2>Absolute URLs</h2>
<p><a href="https://www.w3.org/">W3C</a></p>
<p><a href="https://www.google.com/">Google</a></p>

<h2>Relative URLs</h2>
<p><a href="html_images.asp">HTML Images</a></p>
<p><a href="/css/default.asp">CSS Tutorial</a></p>
```

HTML Links - Use an Image as a Link

<a> .

```
<h2>Image as a Link</h2>
<p>The image below is a link. Try to click on it.</p>
<a href="https://www.w3schools.com/html/default.asp"></a>
```

Link to an Email Address

href mailto: ()

```
<a href="mailto:someone@example.com">Send email</a>
```

Button as a Link

HTML , JavaScript 가 .
JavaScript .

```
<button
onclick="document.location='https://www.w3schools.com/html/default.asp'">HTML
Tutorial</button>
```

Link Titles

title 가 .
, 가 (tooltip) .

```
<a href="https://www.w3school.com/html/" title="Go to W3Schools HTML
```

```
section">Visit our HTML Tutorial</a>
```

More on Absolute URLs and Relative URLs

URL :

```
<a href="https://www.w3schools.com/html/default.asp">HTML Tutorial</a>
```

html :

```
<a href="/html/default.asp">HTML tutorial</a>
```

:

```
<a href="default.asp">HTML tutorial</a>
```

Chapter Summary

- <a>
- href
- target
-
-

<a>

href

mailto:

HTML Link Tags

Tag	Description
<a>	.

Trouble Shooting

```
<input type="button" value="Open window, focus" onclick="openWin(true)" />
<input type="button" value="Open window, nofocus" onclick="openWin()" />

function openWin(doFocus)
{
    myWindow=window.open('', 'mywindow');
    myWindow.document.write("<p>This is 'myWindow'</p>");
    if(doFocus)
        myWindow.focus();
}
```

- <https://forums.caspio.com/topic/11400-open-link-in-new-tab-or-focus-to-it-if-already-open/>
- <https://jsfiddle.net/jaraics/pEG3j/>

, [HTML](#), [Links](#),

From:

<http://125.132.25.164/dokuwiki/> -

- 2023.12

Permanent link:

http://125.132.25.164/dokuwiki/doku.php?id=wiki:html:html_note:html_links

Last update: **2023/01/17 14:00**

