

DataTables

- description : DataTables
- author :
- email : shlim@repia.com
- lastupdate : 2023-01-03 Mon

DataTables

function column().search(input[, regex[, smart[, caseInsen]]])

```
function column.search( input [, regex[, smart[, caseInsen]]] )
function column.search( input )
function column.search( input, regex )
function column.search( input, regex, smart )
function column.search( input, regex, smart, caseInsen )
```

Description :

Set the search term for the column from the selector. Note this doesn't actually perform the search, but rather queues it up - use draw() to perform the search and display the result.

```
selector . , draw() . ,
```

```
function column.search( input )
```

input string input ,
(Search string to apply to the table.)

```
function column.search( input, regex )
```

regex boolean regex , default false
(regex, regular expression) (true) (default, false)
(Treat as a regular expression (true) or not (default, false).)

```
function column.search( input, regex, smart )
```

smart boolean smart , default true
(default, true) , (false)
(Perform smart search (default, true) or not (false).)

DataTables

```
function column.search( input, regex, smart, caseInsen )
```

caseInsen boolean caseInsen , default true
(case-insensitive) (, true), (false)

rnrScript.js

```
1 else if(column.index() == 2) {
2     var select = $('<select style="margin-left: 0.5em; display: inline-block; width: auto; border: 1px solid #aaa; border-radius: 3px; padding: 5px; background-color: transparent; outline-offset: -2px;"><option value="">
3         </option></select>')
4     .appendTo(selectbox)
5     .on( 'change', function() {
6         var text = $(this).find('option:selected').text();
7         var val = $.fn.dataTable.util.escapeRegex($(this).val());
8         if(text != ' ' && jQuery.isEmptyObject(val)) val = '
9     };
10    column.search( val ? '^' + val + '$' : '', true, false )
11    .draw();
```

8

```
8    column.search( val ? '^' + val + '$' : '', true, false )
```

val ? '^' + val + '\$' : **input** , **regex**

, (val) ⇒ regex ('^' + val + '\$'),

true

true

false

Ref Link

[https://datatables.net/reference/api/column\(\).search\(\)](https://datatables.net/reference/api/column().search())

Search API (regular expressions)

`$fn.dataTable.util.escapeRegex()`

, [DataTables](#), [column\(\).search\(\)](#)

From:

<http://125.132.25.164/dokuwiki/> -

. - 2023.12

Permanent link:

<http://125.132.25.164/dokuwiki/doku.php?id=wiki:javascript:datatables:datatables&rev=1672652756>

Last update: **2023/01/02 18:45**

