

JS Reference HTML DOM Aside Object

- description : HTML DOM Aside Object
- author :
- email : shlim@repia.com
- lastupdate : 2021-06-03

the Source of the article

[HTML DOM Aside Object](#)

Aside Object

Aside HTML <aside>

Note: <aside> Internet Explorer 8

Access an Aside Object

getElementById() <aside> :

Example

```
<body>

  <h3>A demonstration of how to access an ASIDE element</h3>

  <p>"My family and I visited The Epcot center this summer."</p>

  <aside id="myAside">
    <h4>Epcot Center</h4>
    <p>The Epcot Center is a theme park in DisneyWorld, Florida.</p>
  </aside>

  <p>click the button to set the textcolor of the aside content to red.</p>

  <button onclick="myFunction()">Try it</button>
```

```
<script>
  function myFunction() {
    var x = document.getElementById("myAside");
    x.style.color = "crimson";
  }
</script>

</body>
```

Create an Aside Object

document.createElement() <aside> .

Example

```
<body>

  <p>Click the button to create an ASIDE element containing a H4 and P
  element.</p>

  <button onclick="myFunction()">Try it!</button>
  <!--

  Epcot Center

  The Epcot Center is a theme park in Disney World.
  -->

  <script>
    function myFunction() {
      var x = document.createElement("ASIDE"); // aside                      ,                      x
      x.setAttribute("id", "myAside");        // aside                      myAside                      가
      id                      가
      document.body.appendChild(x); // body                      aside                      가

      var heading = document.createElement("H4"); // h4                      ,
      heading
      var txt1 = document.createTextNode("Epcot Center"); // h4
      Epcot Center                      txt1
      heading.appendChild(txt1); // h4                      Epcot Center                      가
      document.getElementById("myAside").appendChild(heading); //
      id=myAside                      가                      <aside>                      Epcot Center                      가                      가                      .

      var para = document.createElement("P"); //p
      var txt2 = document.createTextNode("The Epcot Center is a theme park
      in Disney World."); //                      txt2
```

```
para.appendChild(txt2); // p      txt2      가
document.getElementById("myAside").appendChild(para);
// id=myAside 가 <aside>      txt2      가      가      .
}
</script>

</body>
```

, [HTML](#), [DOM](#), [Aside](#), [Object](#)

From: <http://125.132.25.164/dokuwiki/> -

. - 2023.12

Permanent link: http://125.132.25.164/dokuwiki/doku.php?id=wiki:javascript:javascript_note:html_objects_-_aside&rev=1622683639

Last update: **2022/03/10 19:52**

