

JavaScript Get Date Methods

- description : JavaScript Get Date Methods
- author :
- email : shlim@repia.com
- lastupdate : 2021-04-13

Ref

[JavaScript Get Date Methods](#)

가

Method	Description
getFullYear()	4 가 .
getMonth()	(0~11) 가 .
getDate()	(0~31) 가 .
getHours()	(0~23) 가 .
getMinutes()	(0~59) 가 .
getSeconds()	(0~59) 가 .
getMilliseconds()	(0~999) 가 .
getTime()	1970 1 1 가 .
getDay()	(0~6) 가 .
Date.now()	가 . ECMAScript 5

The getTime() Method

getTime() 1970 1 1 .

```
var d = new Date();
document.getElementById("demo").innerHTML = d.getTime(); // 1618280425527
```

The getFullYear() Method

getFullYear() 4 .

```
var d = new Date();
document.getElementById("demo").innerHTML = d.getFullYear(); // 2021
```

The getMonth() Method

getMonth() (0-11)

```
<!DOCTYPE html>
<html>
<body>
  <h2>JavaScript getMonth()</h2>
  <p>The getMonth() Method returns the month of a date as a number from 0
to 11.</p>
  <p>To get the correct month, you must add 1:</p>
  <p id="demo"></p>
  <script>
    var d = new Date();
    document.getElementById("demo").innerHTML = d.getMonth() + 1; // 4
  </script>
</body>
</html>
```

JavaScript (1) 0 12 11

, getMonth()

```
<!DOCTYPE html>
<html>
<body>
  <h2>JavaScript getMonth()</h2>
  <p>The getMonth() method returns the month as a number:</p>
  <p>You can use an array to display the name of the month:</p>
  <p id="demo"></p>
  <script>
    var d = new Date();
    var months = ["January", "February", "March", "April", "May",
"June", "July", "August", "September", "October", "November", "December"];
    document.getElementById("demo").innerHTML = months[d.getMonth()];
// Month will be displayed.
  </script>
</body>
</html>
</html>
```

, [Javascript](#), [Get](#), [Date](#), [Methods](#)

From:
<http://125.132.25.164/dokuwiki/> -

. - 2023.12

Permanent link:
http://125.132.25.164/dokuwiki/doku.php?id=wiki:javascript:javascript_note:js_date_get_methods&rev=1618286737

Last update: **2022/03/10 19:52**

