

JavaScript Timing Events

- description : JavaScript Timing Events
- author :
- email : shlim@repia.com
- lastupdate : 2021-04-12

Source of the article

- [JavaScript Timing Events](#)

JavaScript

_____ (Timing Events)

Timing Events

window

JavaScript

가

- `setTimeout(function, milliseconds)`
 - `()`
- `setInterval(function, milliseconds)`
 - `setTimeout()`

`setTimeout()` `setInterval()` HTML DOM Window

The `setTimeout()` Method

```
window.setTimeout(function, milliseconds);
```

`window.setTimeout()` window prefix

. 3 “Hello” window 가

Click "Try it". Wait 3 seconds, and the page will alert "Hello".

Try it

How to Stop the Execution?

clearTimeout() setTimeout()

```
window.clearTimeout(timeoutVariable)
```

window.clearTimeout() window prefix

clearTimeout() setTimeout()

```
myVar = setTimeout(function, milliseconds);
clearTimeout(myVar);
```

가 , clearTimeout()

, “Stop” 가

```
<!DOCTYPE html>
<html>
<body>
    <p>Click "Try it". Wait 3 seconds, and the page will alert "Hello".</p>
    <p>Click "Stop" to prevent the first function to execute.</p>
    <p>(You must click "Stop" before the 3 seconds are up.)</p>
    <button onclick="myVar = setTimeout(myFunction, 3000)">Try it</button>
    <button onclick="clearTimeout(myVar)">Stop it</button>
    <script>
        function myFunction() {
            alert("Hello");
        }
    </script>
</body>
</html>
```

The setInterval() Method

setInterval()

```
window.setInterval(function, milliseconds);
```

window.setInterval() window prefix

1 "myTimer"

```
<!DOCTYPE html>
<html>
<body>
    <p>A script on this page starts this clock:</p>
    <p id="demo"></p>
    <script>
        var myVar = setInterval(myTimer, 1000);
        function myTimer() {
            var d = new Date();
            document.getElementById("demo").innerHTML =
d.toLocaleTimeString();
        }
    </script>
</body>
</html>
```

1 1000 가

How to Stop the Execution?

clearInterval() setInterval()

```
window.clearInterval(timerVariable)
```

window.clearInterval() window prefix

clearInterval() setInterval()

```
myVar = setInterval(function, milliseconds);
clearInterval(myVar);
```

, “Stop time” 가

```
<!DOCTYPE html>
<html>
<body>
  <p>A script on this page starts this clock:</p>
  <p id="demo"></p>
  <button onclick="clearInterval(myVar)">Stop time</button>
  <script>
    var myVar = setInterval(myTimer, 1000);
    function myTimer() {
      var d = new Date();
      document.getElementById('demo').innerHTML = d.toLocaleTimeString();
    }
  </script>
</body>
</html>
```

More Examples

Another simplw timing

<code javascript>

<code>

,, Javascript, Timing, Events

From:
<http://125.132.25.164/dokuwiki/> -

- 2023.12

Permanent link:
http://125.132.25.164/dokuwiki/doku.php?id=wiki:javascript:javascript_note:js_timing&rev=1618213243

Last update: 2022/03/10 19:52

