

SpringBoot + React

IDE

```
*      : STS4  
*      : VSCode
```

```
===== SpringBoot =====
```

```
@Getter
```

```
public static class User
```

```
{
```

```
    int id;
```

```
    String username;
```

```
    String passwd;
```

```
    String email;
```

```
    public User(int id, String username, String passwd, String email)
```

```
    {
```

```
        this.id = id;
```

```
        this.username = username;
```

```
        this.passwd = passwd;
```

```
        this.email = email;
```

```
    }
```

```
}
```

```
@RestController
```

```
public class HiReactController
```

```
{
```

```
    //
```

```
    @PostMapping("/api/users")
```

```
    public User user()
```

```
    {
```

```
        System.out.println("::: HiReactController IN :::");
```

```
        User user = new User(1, "eleven", "1234", "jskim@repia.com");
```

```
        return user;
```

```
    }
```

```
}
```

React

proxy axios

```
PS ~\react-app> npm install http-proxy-middleware  
PS ~\react-app> npm install axios
```

src/setupProxy.js

```
const {createProxyMiddleware} = require("http-proxy-middleware");  
  
module.exports = function(app){  
  app.use(  
    "/api"  
    , createProxyMiddleware({  
      target: "http://localhost:8006" //  
      , changeOrigin: true  
    })  
  );  
};
```

axios가

src/App.js

```
import logo from './logo.svg';  
  
import React, {useState, useEffect} from "react";  
import './App.css';  
import Axios from "axios";  
  
function App()  
{  
  const [user, setUser] = useState("");  
  useEffect(() => {  
    Axios.post("/api/users").then((response) => {  
      if(response.data){  
        console.log("console check! ==> ", response.data);  
        setUser(response.data);  
      }  
      else  
      {  
        alert("failed to");  
      }  
    });  
  }, []);  
}
```

```
return (  
  <div className="App">  
    <header className="App-header">  
      <img src={logo} className="App-logo" alt="logo" />  
  
      <h1>Hello, React!</h1>  
  
      <p>No. {user.id}</p>  
      <p>name is {user.username}</p>  
      <p>password? {user.passwd}</p>  
      <p>email... {user.email}</p>  
      <a  
        className="App-link"  
        href="https://reactjs.org"  
        target="_blank"  
        rel="noopener noreferrer"  
      >  
        Learn React  
      </a>  
  
    </header>  
  </div>  
)  
};  
}  
  
export default App;
```

Ref

+

[eleven](#), [react](#), [springboot](#), [vscode](#)

From: <http://125.132.25.164/dokuwiki/> -

. - 2023.12

Permanent link: http://125.132.25.164/dokuwiki/doku.php?id=wiki:javascript:react:springboot_react&rev=1623917981

Last update: 2022/03/10 19:52

