

Front-End

1.

```

$(document).ready(function(){ }

, <head>                                <head>                                <body>

$(document).ready(function(){ }          <textarea id="editor">                                가

```

```

<html>
  <head>
    // include libraries(jQuery, codemirror)
    <script
src="http://cdnjs.cloudflare.com/ajax/libs/jquery/3.2.1/jquery.js"></script>
    <script type="text/javascript"
src="https://cdnjs.cloudflare.com/ajax/libs/codemirror/5.52.2/codemirror.min
.js"></script>
    <script type="text/javascript"
src="https://cdnjs.cloudflare.com/ajax/libs/codemirror/5.52.2/mode/javascript/javascript.min.js"></script>
    <link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/codemirror/5.52.2/codemirror.min
.css">
    <link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/codemirror/5.52.2/theme/monokai
.min.css">

    <script>
      var cm;
      $(document).ready(function(){
        cm = new
CodeMirror.fromTextArea(document.getElementById("editor"), {
          lineNumbers: true,
          mode: 'javascript',
          theme : 'monokai'}
        );
      });
    </script>
  </head>

  <body>
    <div>
      <textarea id="editor"></textarea>
    </div>
  </body>

```

```
</html>
```

```
<body>          <textarea id="editor"></textarea>
$(document).ready(function(){ }          가          .
```

```
<html>
  <head>
    // include libraries(jQuery, codemirror)
    <script
src="http://cdnjs.cloudflare.com/ajax/libs/jquery/3.2.1/jquery.js"></script>
    <script type="text/javascript"
src="https://cdnjs.cloudflare.com/ajax/libs/codemirror/5.52.2/codemirror.min
.js"></script>
    <script type="text/javascript"
src="https://cdnjs.cloudflare.com/ajax/libs/codemirror/5.52.2/mode/javascript/
javascript.min.js"></script>
    <link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/codemirror/5.52.2/codemirror.mi
n.css">
    <link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/codemirror/5.52.2/theme/monokai
.min.css">
  </head>

  <body>
    <div>
      <textarea id="editor"></textarea>
    </div>
  </body>

  <script>
    var cm;
    cm = new CodeMirror.fromTextArea(document.getElementById("editor"),
{
    lineNumbers: true,
    mode: 'javascript',
    theme : 'monokai'}
);
  </script>
</html>
```

Ref

[\\$\(document\).ready\(\)](#) .

eleven, jquery, , , codemirror

From: <http://125.132.25.164/dokuwiki/> -

. - 2023.12



Permanent link: http://125.132.25.164/dokuwiki/doku.php?id=wiki:jquery:%EC%8A%A4ED%81%AC%EB%A6%BD%ED%8A%B8_%EB%A1%9C%EB%93%9C_%EC%88%9C%EC%84%9C&rev=1602827406

Last update: 2022/03/10 19:52