

# Docker Install

- description : Docker CentOS RSA
- author : 5
- email : hgkim@repia.com
- lastupdate : 2022-11-10 Thu

## 가

- putty
- File Zilla FTP Client

## 가 WSL v2

1. Window 'Microsoft Store'
2. Store Store
  - Windows Terminal, Ubuntu 22.xx.x
3. Ubuntu 22.xx.x install~~... 가
4. 'Microsoft Store' X
5. Window 'Windows PowerShell'
6. 'Windows PowerShell'

```

C:\Windows\system32> wsl.exe --install
C:\Windows\system32> wsl -l -v //
        WSL 가
        NAME STATE VERSION
        Ubuntu-22.04 Running 1
C:\Windows\system32> wsl --set-version Ubuntu-22.04 2 //
        WSL 2
C:\Windows\system32> wsl -l -v //WSL
        VERSION 2
        NAME STATE VERSION
        Ubuntu-22.04 Running 2
  
```

1. 'Windows PowerShell'
2. <https://www.docker.com/> 가
- 3.
4. 가 . SKIP 가
- 5.
6. Resources → WSL Integration → Enable integration with additional distros WSL2

Ubuntu가  
7. WSL2                  Ubuntu가                  'Windows PowerShell'

## WSL                  PC(Docker Desktop)                  CentOS Container

1. Ubuntu
- 2.

```
hgkim@LAPTOP-266L93S4:~$ docker run -p 7100-7110:7100-7110/tcp -p 80:80 -p 8080:8080 -p 22:22 --privileged -d --name reins( ) centos:7.9.2009( OS - ) /sbin/init // remote side unexpectedly closed network connection [Docker] Failed to get D-Bus connection: Operation not permitted hgkim@LAPTOP-266L93S4:~$ docker exec -it reins( ) /bin/bash
```

```
[root@60ecf6972a57 /]# yum update && yum install -y sudo [root@60ecf6972a57 /]# yum install net-tools [root@60ecf6972a57 /]# yum install -y libjpeg* libpng* freetype* gd-* gcc gcc-c++ gdbm-devel libtermcap-devel
```

```
[root@60ecf6972a57 /]# yum install firewalld // [root@60ecf6972a57 /]# sudo systemctl start firewalld // [root@60ecf6972a57 /]# sudo firewall-cmd --permanent --add-port=22/tcp // [root@60ecf6972a57 /]# sudo firewall-cmd --permanent --add-port=80/tcp // [root@60ecf6972a57 /]# sudo firewall-cmd --permanent --add-port=8080/tcp // [root@60ecf6972a57 /]# sudo firewall-cmd --permanent --add-port=7100-7110/tcp // [root@60ecf6972a57 /]# firewall-cmd --reload // [root@60ecf6972a57 /]# firewall-cmd --list-port //
```

# ssh

```
[root@60ecf6972a57 /]# yum -y install openssh-server openssh-clients
openssh-askpass //ssh
[root@60ecf6972a57 /]# systemctl restart sshd.service
//
[root@60ecf6972a57 /]# vi /etc/ssh/sshd_config
//Port 22 :
[root@60ecf6972a57 /]# systemctl start sshd.service
//
[root@60ecf6972a57 /]# systemctl status sshd.service
//
```

# putty

```
[root@60ecf6972a57 /]# passwd
//putty root
[root@60ecf6972a57 /]# adduser hgkim
//putty
[root@60ecf6972a57 /]# passwd hgkim
//putty
```

# putty

1. putty
2. Host Name (or IP address) IP . - IP (window + R  
cmd . ipconfig IP .
3. Port 22 . ssh .
4. Open .
5. putty .

```
login as: root
root@192.168.xx.xxx's password:
Login~~~...
```

```
[root@60ecf6972a57 /]$ -mkdir /opt/search //search
```

1. RSA , tomcat, java .
2. File Zilla FTP Client .
3. putty (IP) (root) ( root (22 ) .
4. /opt/search/ - / - 가
5. RSA , tomcat, java ctrl .
6. /opt/search/ .
7. putty .

```
[root@60ecf6972a57 search]$ cd /opt/search/
//search
[root@60ecf6972a57 search]$ tar -zxvf .tar.gz //
[root@60ecf6972a57 search]$ ln -sn RSA RSA //
[root@60ecf6972a57 search]$ ln -sn tomcat tomcat9 //
[root@60ecf6972a57 search]$ ln -sn java java8 //
[root@60ecf6972a57 search]$ chown -R hgkim:hgkim * //
hgkim ( )
```

## RSA java

1. VI **Ins** **—INSERT—** 가 가 .
2. **ESC** **—INSERT—** **SHIFT+;** 가 .
  - 가
  - o
  - q( , )
  - q!( )
  - wq( )
  -

```
INSTALL.PATH - ${RSA_ROOT}/
[root@60ecf6972a57 search]$ su - hgkim
//root hgkim ( )
[hgkim@60ecf6972a57 ~]$ vi /opt/search/RSA/INSTALL.PATH //RSA
가 . ex)RSA /opt/search/
/PROJECT/kigam../RSA /opt/search/RSA
[hgkim@60ecf6972a57 ~]$ cd /opt/search/RSA/bin
//RSA/bin RSA/bin/
[hgkim@60ecf6972a57 bin]$ vi rssAdmMgr.sh
//if cd
[hgkim@60ecf6972a57 bin]$ vi RSS_START.sh
//RSS_ROOT
[hgkim@60ecf6972a57 bin]$ vi RSS_STOP.sh
//RSS_ROOT
[hgkim@60ecf6972a57 bin]$ vi realRank.sh
//cd
[hgkim@60ecf6972a57 bin]$ vi LogDayProc.sh
//cd
[hgkim@60ecf6972a57 bin]$ vi acsctl.sh
//RSS_ROOT, JAVA_EXE AUTOCOMPLETE_PORT="7104"
[hgkim@60ecf6972a57 bin]$ cd ../conf
//RSA/conf
[hgkim@60ecf6972a57 conf]$ vi KLTdic.conf
//dicFilePath, newDicFilePath DicPort="7100"
[hgkim@60ecf6972a57 conf]$ vi install.conf
```

```

//installDir          rssPort1="7100",rssPort2="7101"
[hgkim@60ecf6972a57 conf]$ vi install.conf.xml
//installDir          rssPort1="7100",rssPort2="7101", host path=" IP
"
[hgkim@60ecf6972a57 conf]$ vi rssAdmMgr.conf
//IP:0.0.0.0, PORT:7103          . INSTALL_PATH
[hgkim@60ecf6972a57 conf]$ vi collsInfo.conf
// collection path
[hgkim@60ecf6972a57 conf]$ vi /opt/search/RSA/bin/html/WEB-
INF/classes/search.properties          //search.path

[hgkim@60ecf6972a57 conf]$ vi /opt/search/RSA/db/h2/Linux/bin/dbStart.sh
//DBPORT=7102          DBPORT
[hgkim@60ecf6972a57 conf]$ vi /opt/search/RSA/db/h2/Linux/bin/dbStop.sh
//DBPORT=7102          DBPORT

```

## Web

```

[hgkim@60ecf6972a57 conf]$ cd /opt/search/tomcat9/webapps
//          RSA
[hgkim@60ecf6972a57 webapps]$ ln -sn /opt/search/RSA/bin/html RSA
//          RSA
[hgkim@60ecf6972a57 webapps]$ vi /opt/search/tomcat9/conf/server.xml
//server.xml          <host></host>          가. <!-- -->

    <Host name="localhost" appBase="webapps"
        unpackWARs="true" autoDeploy="true">
        <Context path="/RSA" docBase="RSA" debug="0" reloadable="true"
allowLinking="true" />
        <!-- SingleSignOn valve, share authentication between web
applications
        Documentation at: /docs/config/valve.html -->
        .....
    </Host>
[hgkim@60ecf6972a57 webapps]$ vi /opt/search/RSA/bin/html/index.jsp
//index.jsp          front          RSA
    <SCRIPT LANGUAGE="javascript">
        document.location = "/RSA/front/Search.jsp";
    </SCRIPT>

```

```

[hgkim@60ecf6972a57 webapps]$ cd /opt/search/RSA/bin
//          /RSA/bin
[hgkim@60ecf6972a57 bin]$ ./RSS_START.sh
//

```

# WAS

```
[hgkim@60ecf6972a57 bin]$ cd /opt/search/tomcat9/bin
// /tomcat9/bin
[hgkim@60ecf6972a57 bin]$ ./catalina.sh start
//WAS
```

1. Cannot find /PROJECT/kigam.repia.com/SearchApp/tomcat9/bin/setclasspath.sh
  - tomcat9/bin/catalina.sh
2. ./startup.sh tomcat start. ps -ef | grep tomcat  
tomcat 가  
◦ server.xml <host></host> 가  
<Context path="/RSA" docBase="RSA" debug="0" reloadable="true"  
allowLinking="true" /> 가 .
- 5 , Docker CentOS install, RSA

From: <http://125.132.25.164/dokuwiki/> -

. - 2023.12

Permanent link: [http://125.132.25.164/dokuwiki/doku.php?id=wiki:miscellaneous:docker\\_install:docker\\_install&rev=1668158758](http://125.132.25.164/dokuwiki/doku.php?id=wiki:miscellaneous:docker_install:docker_install&rev=1668158758)

Last update: 2022/11/11 18:25

