

HP-UX

- description : HP-UX
- author :
- email : dhan@repia.com
- lastupdate : 2020-06-01

PATH

```
$> export SHLIB_PATH= :${SHLIB_PATH}
```

PATH (ia64)

```
$> export LD_LIBRARY_PATH= :${LD_LIBRARY_PATH}
```

Agent

```
bash -> termcap -> gettext -> libiconv -> zlib -> gcc -> make -> m4
```

```
가
flex, bison, top, tar, wget, gnutils, gzip ...      가
```

```
$> swlist
```

```
#
```

```
# Product(s) not contained in a Bundle:
```

```
#
```

bash	4.2.010	bash
gcc	4.2.3	gcc
gettext	0.18.1.1	gettext
libiconv	1.14	libiconv
m4	1.4.16	m4
make	3.82	make

termcap	1.3.1	termcap
zlib	1.2.5	zlib

```
(      root      )
```

```
$> swreg -l depot /work/tmp/hpux_gnu/bash-3.2-hppa-11.11.depot //
```

```
$> swinstall -s /work/tmp/hpux_gnu/bash-3.2-hppa-11.11.depot //
```

```
!!
```

swreg

```

PuTTY (inactive)
# man swreg
No manual entry for swreg.
# ls
bash-4.2.010-ia64-11.31.depot      intltool-0.41.1-ia64-11.31.depot  openssl-1.0.0e-ia64-11.31.depot
bison-2.4.1-ia64-11.31.depot      libgcc-4.2.3-ia64-11.31.depot      perl-5.10.1-ia64-11.31.depot
db-5.2.36-ia64-11.31.depot        libgcrypt-1.5.0-ia64-11.31.depot   readline-6.2.001-ia64-11.31.depot
expat-2.0.1-ia64-11.31.depot      libgpg_error-1.10-ia64-11.31.depot  tar-1.25-ia64-11.31.depot
flex-2.5.35-ia64-11.31.depot      libiconv-1.14-ia64-11.31.depot     termcap-1.3.1-ia64-11.31.depot
gcc-4.2.3-ia64-11.31.depot        libidn-1.22-ia64-11.31.depot       top-3.6.1-ia64-11.31.depot
gdbm-1.9.1-ia64-11.31.depot        libtasn1-2.9-ia64-11.31.depot      wget-1.13.4-ia64-11.31.depot
gettext-0.18.1.1-ia64-11.31.depot  lzo-2.06-ia64-11.31.depot          zlib-1.2.5-ia64-11.31.depot
gmp-5.0.2-ia64-11.31.depot        m4-1.4.16-ia64-11.31.depot
gnutls-3.0.7-ia64-11.31.depot      make-3.82-ia64-11.31.depot
gzip-1.4-ia64-11.31.depot          nettle-2.4-ia64-11.31.depot
# swreg
swreg      swremove
# ls
bash-4.2.010-ia64-11.31.depot      intltool-0.41.1-ia64-11.31.depot  openssl-1.0.0e-ia64-11.31.depot
bison-2.4.1-ia64-11.31.depot      libgcc-4.2.3-ia64-11.31.depot      perl-5.10.1-ia64-11.31.depot
db-5.2.36-ia64-11.31.depot        libgcrypt-1.5.0-ia64-11.31.depot   readline-6.2.001-ia64-11.31.depot
expat-2.0.1-ia64-11.31.depot      libgpg_error-1.10-ia64-11.31.depot  tar-1.25-ia64-11.31.depot
flex-2.5.35-ia64-11.31.depot      libiconv-1.14-ia64-11.31.depot     termcap-1.3.1-ia64-11.31.depot
gcc-4.2.3-ia64-11.31.depot        libidn-1.22-ia64-11.31.depot       top-3.6.1-ia64-11.31.depot
gdbm-1.9.1-ia64-11.31.depot        libtasn1-2.9-ia64-11.31.depot      wget-1.13.4-ia64-11.31.depot
gettext-0.18.1.1-ia64-11.31.depot  lzo-2.06-ia64-11.31.depot          zlib-1.2.5-ia64-11.31.depot
gmp-5.0.2-ia64-11.31.depot        m4-1.4.16-ia64-11.31.depot
gnutls-3.0.7-ia64-11.31.depot      make-3.82-ia64-11.31.depot
gzip-1.4-ia64-11.31.depot          nettle-2.4-ia64-11.31.depot
# swreg -l depot /data/searchapp/RSA/program/11.31/m4-1.4.16-ia64-11.31.depot
===== 06/02/20 16:44:51 KST  BEGIN swreg SESSION (non-interactive)

* Session started for user "root@gwot".

* Beginning Selection
* Targets:          gwot
* Objects:
  /data/searchapp/RSA/program/11.31/m4-1.4.16-ia64-11.31.depot
* Selection succeeded.

===== 06/02/20 16:44:51 KST  END swreg SESSION (non-interactive)
#

```

Library (space)

```

Putty (inactive)
SecOOTools      B.01.04.10  Install-Time security infrastructure.
SecureShell     A.06.20.030 HP-UX Secure Shell
SerialSCSI-00   B.11.31.1303 PCI-X/PCI-E SerialSCSI
SrvAssistant     C.02.95      HP-UX Software Assistant
SysFaultMgmt    C.07.13.09.01 HPUX System Fault Management
SysMgmtMin      B.11.31.1503 Minimum Software Deployment Tools
SysMgmtPlus     A.10.00.03.01 HP-UX SMH Supplemental Functionality
SysMgmtWeb      A.3.2.9      HP-UX Web Based System Management User Interfaces
TBIRO           A.2.0.0.24ar.00 Thunderbird for HP-UX
Tune-N-Tools    B.11.31.0909 Optimized Kernel Tunables and Tools for Database and Application Servers
USB-00          D.11.31.0909 Transition USB-00 Product
VirtualBase     B.06.30.05.00 Base Virtualization Software
WhiteListInf    A.01.03.00   HP-UX Whitelisting
hpuxws22Apache B.2.2.15.22  HP-UX Apache-based Web Server
hpuxws22Tomcat  C.6.0.39.04  HP-UX Tomcat-based Servlet Engine
hpuxws22Webmin  A.1.070.13   HP-UX Webmin-based Admin
hpuxwsXsl       A.2.03       HPUX XML
perl            E.5.8.8.M    Perl Programming Language
scsiU320-00     B.11.31.1109 PCI-X SCSI U320:Supptd HW=A7173A/AB290A

# ls
bash-4.2.010-ia64-11.31 depot      intltool-0.41.1-ia64-11.31 depot      openssl-1.0.0e-ia64-11.31 depot
bison-2.4.1-ia64-11.31 depot      libgcc-4.2.3-ia64-11.31 depot          p11_kit-0.8-ia64-11.31 depot
db-5.2.36-ia64-11.31 depot        libcrypto-1.5.0-ia64-11.31 depot       perl-5.10.1-ia64-11.31 depot
expat-2.0.1-ia64-11.31 depot      libgpg-error-1.10-ia64-11.31 depot     readline-6.2.001-ia64-11.31 depot
flex-2.5.35-ia64-11.31 depot      libiconv-1.14-ia64-11.31 depot         tar-1.26-ia64-11.31 depot
gcc-4.2.3-ia64-11.31 depot        libidn-1.22-ia64-11.31 depot           termcap-1.3.1-ia64-11.31 depot
gdbm-1.9.1-ia64-11.31 depot        libtasn1-2.9-ia64-11.31 depot          top-3.6.1-ia64-11.31 depot
gettext-0.18.1.1-ia64-11.31 depot lzo-2.06-ia64-11.31 depot              wget-1.13.4-ia64-11.31 depot
gmp-5.0.2-ia64-11.31 depot        m4-1.4.16-ia64-11.31 depot            zlib-1.2.5-ia64-11.31 depot
gnutls-3.0.7-ia64-11.31 depot     make-3.82-ia64-11.31 depot
gzip-1.4-ia64-11.31 depot         nettle-2.4-ia64-11.31 depot

# pwd
/data/searchapp/RSR/program/11.31
# bash
sh: bash: not found.
# swinstall -s /data/searchapp/RSR/program/11.31/bash-4.2.010-ia64-11.31 depot
NOTE: 소프트웨어가 지정되지 않았기 때문에 대화식 UI가 호출되었습니다.

ERROR: 그래픽 사용자 인터페이스(GUI) 또는 터미널 사용자 인터페이스(TUI)를 시작할 수 없습니다. 이 명령을 실행하려면 DISPLAY를 설정하거나 LANG="" 또는 LANG=C로 지정하여 영어 버전의 TUI를 사용해야 합니다.

# export LANG=C
# swinstall -s /data/searchapp/RSR/program/11.31/bash-4.2.010-ia64-11.31 depot
NOTE: The interactive UI was invoked, since no software was specified.

Starting the terminal version of swinstall...

To move around in swinstall:
- use the "Tab" key to move between screen elements
- use the arrow keys to move within screen elements
- use "Ctrl-F" for context-sensitive help anywhere in swinstall

On screens with a menubar at the top like this:

-----
|File View Options Actions                               Help|
-----
- use "Tab" to move from the list to the menubar
- use the arrow keys to move around
- use "Return" to pull down a menu or select a menu item
- use "Tab" to move from the menubar to the list without selecting a menu item
- use the spacebar to select an item in the list


On any screen, press "CTRL-K" for more information on how to use the keyboard.
Press "Return" to continue...

```


가

export LANG=C


Actions > Install...




Ok



Done



File > Exit



(bash)

```
$> swremove bash
```

```
$> /sbin/init.d/swagentd stop/start  
or  
$> kill swinstall  
  
, hpux
```

From:

<http://125.132.25.164/dokuwiki/> -
- 2023.12

Permanent link:

<http://125.132.25.164/dokuwiki/doku.php?id=wiki:os:hpux&rev=1591084501>Last update: **2022/03/10 19:52**