

- description :
- author :
- email : kimmk@repia.com
- lastupdate : 2020-02-08

ls

```
[www@www tmp]$ ls -alhS | more
```

find

```
'_header.txt'
```

```
[www@www tmp]$ find ./ -type 'd' -ls -exec cp ./_header.txt {} \;
```

du

```
[www@www tmp]$ du | sort -nr
```

seq

```
[www@www tmp]$ sed -i 's|/hello|/Hello Word|g' *.conf
```

```
| /hello          , /Hello Word          , *.conf          가 conf
```

crontab

```
[www@www tmp]$ crontab -e
```

```
#Repia_Search_RealRank
0,10,20,30,40,50 8-20 * * * /opt/search/RSA/bin/realRank.sh
0 7 * * * /opt/search/RSA/bin/acsctl.sh restart
#root
0,10,20,30,40,50 8-20 * * * su - search -c /opt/search/RSA/bin/realRank.sh
0 7 * * * su - search -c /opt/search/RSA/bin/acsctl.sh restart
```

```
-e , -l
www crontab -e www .
```

tar

- - (, , , ...)

```
tar tvfz archive.tar.gz
```

```
t: tar List , v: , f: , z:
```

*

```
tar xvfzp archive.tar.gz /
```

```
/ , tar tvfz .
```

Ref

- [How can I sort du -h output by size](#)
- , [ls](#), [find](#), [seq](#), [crontab](#), [tar](#)

