

- description :
- author :
- email : kimmk@repia.com
- lastupdate : 2020-03-10

ls

```
[www@www tmp]$ ls -alhS | more
```

```
option
a : all
l : long format
h : human reading (K, M, G)
S : sort by Size, t : sort by Time
```

find

```
'_header.txt'
```

```
[www@www tmp]$ find ./ -type 'd' -ls -exec cp ./_header.txt {} \;
```

```
가 0   가
```

```
[www@www tmp]$ find ./ -type 'f' -size 0 -ls
```

```
or
```

```
[www@www tmp]$ find ./ -type 'f' -empty
```

```
가 0
```

```
[www@www tmp]$ find ./ -type f -size 0 -exec rm -f {} \;
```

```
or
```

```
[www@www tmp]$ find ./ -type f -size 0 | xargs rm -f
```

```
or
```

```
[www@www tmp]$ find ./ -type f -size 0 -delete
```

[Find and delete the zero size files and empty directories](#)

du

```
[www@www tmp]$ du | sort -nr
```

sed

```
[www@www tmp]$ sed -i 's|/hello|/Hello Word|g' *.conf
```

/hello , /Hello Word , *.conf 가 conf

crontab

```
[www@www tmp]$ crontab -e
#Repia_Search_RealRank
0,10,20,30,40,50 8-20 * * * /opt/search/RSA/bin/realRank.sh
0 7 * * * /opt/search/RSA/bin/acsctl.sh restart
#root
0,10,20,30,40,50 8-20 * * * su - search -c /opt/search/RSA/bin/realRank.sh
0 7 * * * su - search -c /opt/search/RSA/bin/acsctl.sh restart
```

-e , -l
www crontab -e www
crontab

```
* * * * *
(0-59) (0-23) (1-31) (1-12) (0-7)
```

- (Linux Crontab)

tar

-

```
[www@www tmp]$ tar fczvh search.tar.gz search
```

f: tar , c: tar , z: gzip , v: View , h()): 가

-

o (, , , ...)

```
[www@www tmp]$ tar tvfz archive.tar.gz
```

t: tar List , v: , f: , z:

•

```
[www@www tmp]$ tar xvfzp archive.tar.gz /
```

/ , tar tvfz .

Ref

- [How can I sort du -h output by size](#)
- , , , [ls](#), [find](#), [seq](#), [crontab](#), [tar](#)

From: <http://125.132.25.164/dokuwiki/> -

- 2023.12

Permanent link:

http://125.132.25.164/dokuwiki/doku.php?id=wikios:linux:%EB%A6%AC%EB%88%85%EC%8A%AA%EC%97%90%EC%84%9C_%EC%9E%90%EC%A3%BC_%EC%82%AC%EC%9A%A9%ED%95%98%EB%8A%94_%EB%AA%85%EB%A0%B9%EC%96%B4&rev=1589166130

Last update: 2022/03/10 19:52

