

Sass Tutorial

- description : Sass @import and Partials
- author :
- email : shlim@repia.com
- lastupdate : 2021-04-08

Ref

[Sass @import and Partials](#)

Sass Nested Rules

Sass CSS DRY(Don't Repeat Yourself,)
 DRY() 가 .

CSS reset file, , , , Sass .

Sass Importing Files

CSS 가 Sass @import (directive) .

@import .

CSS "@import" ; 가 HTTP

Sass "@import" CSS ; 가 HTTP

!

Sass Import Syntax

```
@import filename;
```

Tip: 가 . Sass .sass .scss 가

CSS 가 .@import (mixins) .

가 .

```
@import "variables";
@import "colors";
@import "reset";
```

: "reset.scss" reset 가 .

SCSS Syntax (reset.scss)

```
html,
body,
ul,
ol {
  margin: 0;
  padding: 0;
}
```

"reset.scss" "standard.scss" .
: @import 가 ;
, 가 .

SCSS Syntax (standard.scss):

```
@import "reset";

body {
  font-family: Helvetica, sans-serif;
  font-size: 18px;
  color: red;
}
```

, "standard.css" , CSS .

CSS output

```
html, body, ul, ol {
  margin: 0;
  padding: 0;
}
```

```
body {
  font-family: Helvetica, sans-serif;
  font-size: 18px;
  color: red;
}
```

Sass Partials

```
Sass      .scss
Sass      :
Sass      ' partials
, %5partial Sass .\\ ====Sass Partial Syntax==== <code
sass> _filename; </code> \\      "_colors.scss"      partial Sass      .\\
(      "colors.css"      ):\\ ===      === "_colors.scss":\\ <code
sass> $myPink: #EE82EE; $myBlue: #4169E1; $myGreen: #8FBC8F; </code> \\      partial
      ,      . Sass      "_colors.scss"%%      가
```

```
@import "colors";

body {
  font-family: Helvetica, sans-serif;
  font-size: 18px;
  colors: $myBlue;
```

., Sass, @import, and, Partials

From: <http://125.132.25.164/dokuwiki/> - 2023.12

Permanent link: http://125.132.25.164/dokuwiki/doku.php?id=wiki:sass:sass_import&rev=1617883109

Last update: 2022/03/10 19:52

