

Sass @import

- description : Sass @import and Partials
- author :
- email : shlim@repia.com
- lastupdate : 2021-04-08

Ref

[Sass @import and Partials](#)

Sass Nested Rules

Sass CSS DRY(Don't Repeat Yourself,)
 DRY() 가 .

CSS reset file, , , , Sass .

Sass Importing Files

CSS 가 Sass @import (directive) .

@import .

CSS "@import" ; 가 HTTP

Sass "@import" CSS ; 가 HTTP

!

Sass Import Syntax

```
@import filename;
```

Tip:

가 . Sass .sass .scss 가

CSS 가 .@import (mixins) , (the main file)

가

```
@import "variables";
@import "colors";
@import "reset";
```

: "reset.scss" reset 가 .

SCSS Syntax (reset.scss)

```
html,
body,
ul,
ol {
  margin: 0;
  padding: 0;
}
```

"reset.scss" "standard.scss" .
: @import 가 ;
, 가 .

SCSS Syntax (standard.scss):

```
@import "reset";

body {
  font-family: Helvetica, sans-serif;
  font-size: 18px;
  color: red;
}
```

, "standard.css" , CSS .

CSS output (mystyle.css)

```
html, body, ul, ol {
```

```

margin: 0;
padding: 0;
}

body {
  font-family: Helvetica, sans-serif;
  font-size: 18px;
  color: red;
}

```

Sass Partials

Sass partials are files with the extension `.scss`. They are used to organize your Sass code into smaller, reusable pieces. A partial is identified by a leading underscore character (`_`) in the filename. For example, `_colors.scss` is a partial file. To use a partial, you use the `@import` directive. For example, to import the `_colors.scss` partial into your main `styles.scss` file, you would write:

```
@import "_colors";
```

Sass Partial Syntax

```
_filename;
```

(`"_colors.scss"` partial Sass): `"colors.css"`

"_colors.scss":

```

$myPink: #EE82EE;
$myBlue: #4169E1;
$myGreen: #8FBC8F;

```

partial `"_colors.scss"` 가

```

@import "colors";

body {
  font-family: Helvetica, sans-serif;
}

```

```
font-size: 18px;  
colors: $myBlue;
```

., Sass, @import, and, Partials

From:
<http://125.132.25.164/dokuwiki/> -
2023.12

Permanent link:
http://125.132.25.164/dokuwiki/doku.php?id=wiki:sass:sass_import&rev=1626866077

Last update: **2022/03/10 19:52**

