

Sass @import

- description : Sass @import and Partials
- author :
- email : shlim@repia.com
- lastupdate : 2021-04-08

Ref

[Sass @import and Partials](#)

Sass Nested Rules

Sass CSS DRY(Don't Repeat Yourself,)
 DRY() 가 .

CSS reset file, , , , Sass .

Sass Importing Files

CSS 가 Sass @import (directive) .

@import .

CSS "@import" ; 가 HTTP

Sass "@import" CSS ; 가 HTTP

!

Sass Import Syntax

```
@import filename;
```

Tip:

가 . Sass .sass .scss 가

CSS 가 .@import (mixins) , (the main file)

가

```
@import "variables";
@import "colors";
@import "reset";
```

: "reset.scss" reset 가 .

SCSS Syntax (reset.scss)

```
html,
body,
ul,
ol {
  margin: 0;
  padding: 0;
}
```

"reset.scss" "standard.scss" .
: @import 가 ;
, 가 .

SCSS Syntax (standard.scss):

```
@import "reset";

body {
  font-family: Helvetica, sans-serif;
  font-size: 18px;
  color: red;
}
```

, "standard.css" , CSS .

CSS output (standard.css)

```
html, body, ul, ol {
```

```

margin: 0;
padding: 0;
}

body {
  font-family: Helvetica, sans-serif;
  font-size: 18px;
  color: red;
}

```

Sass Partials

partial Sass (underscore) Sass partials (leading underscore) Sass partials (ex, _globals.scss)

Sass Partial Syntax

```
_filename;
```

```
( "_colors.scss" partial Sass "colors.css" ):
```

"_colors.scss":

```

$myPink: #EE82EE;
$myBlue: #4169E1;
$myGreen: #8FBC8F;

```

partial , . Sass "_colors.scss" 가

Example

```

@import "colors";

body {

```

```
font-family: Helvetica, sans-serif;  
font-size: 18px;  
color: $myBlue;  
}
```

„ [Sass](#), [@import](#), and [Partials](#)

From:
<http://125.132.25.164/dokuwiki/> -
2023.12

Permanent link:
http://125.132.25.164/dokuwiki/doku.php?id=wiki:sass:sass_import&rev=1626910567

Last update: **2022/03/10 19:52**

