

# Querydsl

- description : Querydsl
- author :
- email : dhan@repia.com
- lastupdate : 2022-05-18

## Intro

## Case Study

Spring Boot QueryDSL

## Term

## Tip

```

@ManyToOne                (fetch = FetchType.LAZY)
Entity                    가
toString
Querydsl

Querydsl                  JQPL
use_sql_comments: true <- jqpl

count                    count, contents

                        Tuple    <-
                        leftJoin  .

                        :

                        :                    (from                    )
select                  가

```

```
from
1.      join      .(      가      가      )
2.
3. nativeSQL      .

SQL AntiPatterns ( )
      가      가      .

      : select

Tuple      querydsl      .      repository      !!

@QueryProjection
Dto Q File      (compile      )

      Predicate

      ,      ,      (Dirty Checking)
      DB      ,      가      ,      가
      가
incompatible read
      em.flush();
      em.clear();

      Transactional

sql function      (dialect      ,      )
```

```
      .
      가
(      limit      )
Predicate      BooleanExpression      composition      가
DB      가
      가
```

```
JPA
(0      )
```

- [\[QueryDsl\] Can not find symbol](#)

## Troubleshooting

# Ref

- [Querydsl Official Site](#)
- [Spring Boot QueryDSL](#)

, , 2013 , 2014

From:

<http://125.132.25.164/dokuwiki/> -

. - 2023.12

Permanent link:

<http://125.132.25.164/dokuwiki/doku.php?id=wiki:spring:jpa:querydsl&rev=1664368684>

Last update: **2022/09/28 21:38**

