

JSTL

- description : JSTL
- author :
- email : dhan@repia.com
- lastupdate : 2020-03-19

Rule

```
<c:if test='${"string" eq name }'></c:if>
```

```
<td>${entry.key.class }</td>
```

single 가 quotation	string	double quotation	.
`\${ }`, space	.		

c:out

[\[JSP\] JSTL c:out](#)

Choose

[\[JSTL\]choose when, otherwise](#)

Length

List Size

```
<%@ taglib uri="http://java.sun.com/jsp/jstl/functions" prefix="fn" %>
${resultList.size } X
${fn:length(resultList) } 0
```

List

[How to iterate over a list of lists in jstl?](#)

```
<c:forEach var="innerList" items="${mylist}">
  <c:forEach var="obj" items="${innerList}">
```

```

    <c:out value="\${obj.val}"></c:out>
  </c:forEach>
</c:forEach>

```

Map

LIST

```

<c:forEach var="entry" items="\${resultMap }" varStatus="status">
  <tr>
    <td>\${entry.key }</td>
    <td>\${entry.value }</td>
    <td>\${entry.key.class }</td>
  </tr>
</c:forEach>

```

1

```

<c:out value='\${resultMap["\${key}"]}' />

```

2

```

<c:set var='idAsString'\${resultInfo.id }</c:set>
<c:out value='\${resultMap[idAsString].id }' />

```

JSTL MAP , (KEY)

Test

[JSTL] eq, ne, empty eq

```

null: <c:if test='\${ null eq name }'></c:if>
      : <c:if test='\${ 0 eq name }'></c:if>
      : <c:if test='\${ 'string' eq name }'></c:if>

```

ne or !=

```

null: <c:if test='\${ null ne name }'></c:if>
      : <c:if test='\${ 0 eq name }"></c:if>
      : <c:if test='\${ "string" eq name }'></c:if>

```

empty

```

      : <c:if test='\${empty map }'></c:if>
      : <c:if test='\${!empty map }'></c:if>

```

Tip

Trouble shooting

Ref

- [34] JSTL core : `<c:set>` `<c:remove>`
 - JSTL c tag `eq`, ne null check
- , JSTL, jstl

From:

<http://125.132.25.164/dokuwiki/> -
2023.12

Permanent link:

<http://125.132.25.164/dokuwiki/doku.php?id=wiki:spring:jstl&rev=1585729657>

Last update: **2022/03/10 19:52**

