

# Mybatis( ) ,

- description :
- author :
- email : dhan@repia.com
- lastupdate : 2020-01-31

## mapper.xml

### SELECT

```
<SELECT id="boardList" resultType="BoardDto" useCache="true">
    SELECT * FROM tbl_board ORDER BY pos ASC
</select>
```

resultType .

### UPDATE

```
<update id="readCount" parameterType="int">
    update tbl_board set count = count + 1 where seq = #{seq}
</update>
```

parameterType .

### DELETE

```
<DELETE id="deleteBoard" parameterType="map">
    DELETE FROM tbl_board WHERE seq=#{seq} AND password=#{storPass}
</delete>
```

parameterType .

### MYBATIS DB

### INSERT

```
<INSERT id="insertStudents" useGeneratedKeys="true" keyProperty="id"
parameterType="Student">
    INSERT INTO Students ( name, email )
    VALUES ( #{name}, #{email} )
</insert>
```

selectKey 가



maxActive가 10 , maxIdle 8 10 가  
 , maxIdle 8 가  
 minIdle: 8 0  
 가 , minIdle  
 maxWait - 가  
 -1 가 -1

## Trouble shooting

DAO VO가 SQL

mybatis, mybatis-spring

## Ref

- [myBatis parameterType="String"](#)
  - [- dataSource \(DBCP\)](#)
- , [eleven](#), [mybatis](#)

From:  
<http://125.132.25.164/dokuwiki/> -  
 2023.12

Permanent link:  
<http://125.132.25.164/dokuwiki/doku.php?id=wiki:spring:mybatis&rev=1585723912>

Last update: **2022/03/10 19:52**

