

Mybatis() ,

- description :
- author :
- email : dhan@repia.com
- lastupdate : 2020-01-31

mapper.xml

SELECT

```
<SELECT id="boardList" resultType="BoardDto" useCache="true">
    SELECT * FROM tbl_board ORDER BY pos ASC
</select>
```

resultType .

UPDATE

```
<update id="readCount" parameterType="int">
    update tbl_board set count = count + 1 where seq = #{seq}
</update>
```

parameterType .

DELETE

```
<DELETE id="deleteBoard" parameterType="map">
    DELETE FROM tbl_board WHERE seq=#{seq} AND password=#{storPass}
</delete>
```

parameterType .

MYBATIS DB

INSERT

```
<INSERT id="insertStudents" useGeneratedKeys="true" keyProperty="id"
parameterType="Student">
    INSERT INTO Students ( name, email )
    VALUES ( #{name}, #{email} )
</insert>
```

selectKey

가


```

maxActive가 10 , maxIdle 8 10
, maxIdle 8 가
minIdle: 8 0
가
가 minIdle minIdle
maxWait - 가
-1 가 -1

```

Trouble shooting

DAO VO가 SQL

pom.xml mybatis, mybatis-spring

Ref

- [myBatis parameterType="String"](#)
 - [- dataSource \(DBCP\)](#)
- , [eleven](#), [mybatis](#)

From:
<http://125.132.25.164/dokuwiki/> -
 2023.12

Permanent link:
<http://125.132.25.164/dokuwiki/doku.php?id=wiki:spring:mybatis&rev=1585723943>

Last update: 2022/03/10 19:52

