

Mybatis() ,

- description :
- author :
- email : dhan@repia.com
- lastupdate : 2020-01-31

mapper.xml

SELECT

```
<select id="boardList" resultType="BoardDto" useCache="true">
  select * from tbl_board order by pos asc
</select>
```

resultType .

UPDATE

```
<update id="readCount" parameterType="int">
  update tbl_board set count = count + 1 where seq = #{seq}
</update>
```

parameterType .

DELETE

```
<delete id="deleteBoard" parameterType="map">
  delete from tbl_board where seq=#{seq} and password=#{storPass}
</delete>
```

parameterType .

MYBATIS DB

INSERT

```
<INSERT id="insertStudents" useGeneratedKeys="true" keyProperty="id"
parameterType="Student">
  INSERT INTO Students ( name, email )
  VALUES ( #{name}, #{email} )
</insert>
```

selectKey 가

```
<INSERT id="insertStudents" parameterType="Student">
  <selectKey keyProperty="id" resultType="int" ORDER="BEFORE">
    SELECT SEQ_ID.nexyval FROM DUAL
  </selectKey>
  INSERT INTO Students
  (id, name , email)
  VALUES
  (#{id}, #{name}, #{email})
</insert>
```

[Mapper XML](#)
[mybatis insert/update](#) [가](#)

[myBatis parameterType="String"](#)

(Batch) /

[\[Mybatis/MariaDB\] foreach](#) [Insert](#)
[\[Java / Mybatis\] \(Batch\)](#) / [\(Insert/Update\)](#)

choose

[\[Mybatis\] if else](#)

Null (ibatis)

| [Mybatis](#)

```
<if test="stringProperty != null">
</if>
```

| [ibatis](#)

```
<isNotNull property="stringProperty">
</isNotNull>
```

[mybatis ibatis](#)
[ibatis to mybatis](#)
[MyBatis 가](#)

Troubleshooting

DAO VO가 SQL

pom.xml mybatis, mybatis-spring

Ref

- [mybatis-spring](#) - dataSource (DBCP)
 - [mybatis parameterType="String"](#)
 - [MyBatis, Dynamic SQL](#)
- [, eleven](#), [mybatis](#)

From:
<http://125.132.25.164/dokuwiki/> -
2023.12

Permanent link:
<http://125.132.25.164/dokuwiki/doku.php?id=wiki:spring:mybatis&rev=1589243356>

Last update: **2022/03/10 19:52**

