

# spring\_boot\_annotation

- description : spring boot annotation
- author :
- email : hylee@repia.com
- lastupdate : 2020-08-21

## Annotation

A

B

C

- | @ComponentScan
  - @Component @Service, @Repository, @Controller, @Configuration Annotation Bean
  - Context bean
  - @Component @Repository DAO @Repository, @Service, @Controller unchecked exception
  - DataAccessException 가 . 가
  - 가 .

D

E

F

**G**

**H**

**I**

**J**

**K**

**L**

**M**

**N**

**O**

**P**

**Q**

**R**

**S**

**T**

**U**

**V**

**W**

**X**

**Y**

**Z**

@EnableAutoConfiguration

-

classpath . tomcat-embed-core.jar가 가  
setting .

@Configuration

- Configuration @Bean @Autowired

@Required

- setter

@Qualifier("id123")

- @Autowired , 가

( ex) , , , , )

@Resource

- @Autowired 가 Autowired , Resource

@PostConstruct, @PreConstruct

- / (pre/post)

@PreDestroy

- (pre)

@PropertySource

- Environment

@PropertySource("classpath:/settings.properties") @Resource  
Environment

@ConfigurationProperties

- yml . default classpath:application.properties  
(prefix="mail")

mail.host = mailserver@mail.com

mail.port = 9000

mail.defaultRecipients[0] = admin@mail.com

mail.defaultRecipients[1] = customer@mail.com

@Lazy

-  
@Component @Bean 가 bean

@Value

- properties 가

@Value("\${value.from.file}")

private String valueFromFile; value.from.file 가

spEL

@Value("#{systemProperties['priority'] ?: 'some default'})

@SpringBootApplication

- @Configuration, @EnableAutoConfiguration, @ComponentScan 3가

@RequestMapping

- URL 가 mapping

@RequestMapping("/list"), @RequestMapping("/home, /about");

@RequestMapping("/admin", method=RequestMethod.GET)

@CookieValue

- 가 500 required가 default true . false null

public String view(@CookieValue(value="auth")String auth){...}; key가 auth
가 @CrossOrigin - CORS origin
AJAX . @RequestMapping
ajax . @CrossOrigin(origins = "http://jeong-pro.tistory.com", maxAge = 3600) ->
http://jeong-pro.tistory.com ajax . @ModelAttribute - view
(VO/DTO) binding

<input name="id" /> name set
.class Person{ String id; public void setId(String id){ this.id = id;} }

@GetMapping - @RequestMapping(Method=RequestMethod.GET) @PostMapping,
@PutMapping, @PatchMapping, @DeleteMapping 가 . @SessionAttributes -
@SessionAttributes("name") Model key "name"
. @Valid -

@InitBinder - @Valid 가
. @ModelAttribute - Request 가

@RequestBody - (JSON XML ) model
@RequestHeader - Request header 가

@RequestHeader(value="Accept-Language")String acceptLanguage ko-KR,ko;q=0.8,en-US;q=0.6

@RequestParam

- @PathVariable . request parameter 가 .

### @RequestPart

- Request MultipartFile .

@RequestPart("file")MultipartFile file .

### @ResponseBody

- view가 JSON http  
response header가 response body .

return JACKSON .

context resolver . (viewResolver)

### @PathVariable

- URL { } .

@ExceptionHandler(ExceptionClassName.class)

- .

### @ControllerAdvice

- ControllerAdvice

@ExceptionHandler( .class) .

### @RestControllerAdvice

- @ControllerAdvice + @ResponseBody .

### @ResponseStatus

- response code reason

@ResponseStatus(value = HttpStatus.NOT\_FOUND, reason = "my page URL changed..") =>

### @EnableEurekaServer

- Eureka .

### @EnableDiscoveryClient

- Eureka

### @Transactional

-

@Transaction(readOnly=true, rollbackFor=Exception.class) : readOnly  
rollbackFor Exception

@Transaction(noRollbackFor=Exception.class) Exception

@Transaction(timeout = 10) 10

@Cacheable

- 가 (= )

@Cacheable(value="cacheKey"), @Cacheable(key="cacheKey")

@CachePut

- @Cacheable

@CacheEvict

- ( ) 가 가

@CacheEvict(value="cacheKey"), @CacheEvict(value="cacheKey", allEntries=true)

allEntries

@CacheConfig

- @Scheduled

- Linux crontab 가

@Scheduled(cron = "0 0 07 \* \* ?") ( )

, [Springboot, annotation](#)

From: <http://125.132.25.164/dokuwiki/> -

. - 2023.12

Permanent link: [http://125.132.25.164/dokuwiki/doku.php?id=wiki:springboot:spring\\_boot\\_annotation:spring\\_boot\\_annotation&rev=1597983313](http://125.132.25.164/dokuwiki/doku.php?id=wiki:springboot:spring_boot_annotation:spring_boot_annotation&rev=1597983313)

Last update: **2022/03/10 19:52**

