

Tomcat

- description : Tomcat
- author :
- email : kimmk@repia.com
- lastupdate : 2023-07-06

: () : : 가

: 가
: 가



1. \${CATALINA_HOME}/webapps/ROOT error.jsp

```

<!DOCTYPE HTML PUBLIC "-//IETF//DTD HTML 2.0//EN">
<html>
<head>
<title>404 Not Found</title>
</head>
<body>
<h1>Not Found</h1>
<p>The requested URL was not found on this server.</p>
<p>Additionally, a 404 Not Found
error was encountered while trying to use an ErrorDocument to handle the
request.</p>
</body>
</html>

```

2. \${CATALINA_HOME}/conf web.xml

web.xml </welcome-file-list> </web-app>

```
<error-page>  
<error-code>401</error-code>  
<location>/error.jsp</location>  
</error-page>
```

```
<error-page>  
<error-code>402</error-code>  
<location>/error.jsp</location>  
</error-page>
```

```
<error-page>  
<error-code>403</error-code>  
<location>/error.jsp</location>  
</error-page>
```

```
<error-page>  
<error-code>404</error-code>  
<location>/error.jsp</location>  
</error-page>
```

```
<error-page>  
<error-code>405</error-code>  
<location>/error.jsp</location>  
</error-page>
```

```
<error-page>  
<error-code>406</error-code>  
<location>/error.jsp</location>  
</error-page>
```

```
<error-page>  
<error-code>407</error-code>  
<location>/error.jsp</location>  
</error-page>
```

```
<error-page>  
<error-code>408</error-code>  
<location>/error.jsp</location>  
</error-page>
```

```
<error-page>  
<error-code>409</error-code>  
<location>/error.jsp</location>  
</error-page>
```

```
<error-page>  
<error-code>410</error-code>  
<location>/error.jsp</location>  
</error-page>
```

```
<error-page>
<error-code>411</error-code>
<location>/error.jsp</location>
</error-page>
```

```
<error-page>
<error-code>412</error-code>
<location>/error.jsp</location>
</error-page>
```

```
<error-page>
<error-code>413</error-code>
<location>/error.jsp</location>
</error-page>
```

```
<error-page>
<error-code>414</error-code>
<location>/error.jsp</location>
</error-page>
```

```
<error-page>
<error-code>415</error-code>
<location>/error.jsp</location>
</error-page>
```

```
<error-page>
<error-code>500</error-code>
<location>/error.jsp</location>
</error-page>
```

```
<error-page>
<error-code>501</error-code>
<location>/error.jsp</location>
</error-page>
```

```
<error-page>
<error-code>502</error-code>
<location>/error.jsp</location>
</error-page>
```

```
<error-page>
<error-code>503</error-code>
<location>/error.jsp</location>
</error-page>
```


```
<error-page>
<error-code>504</error-code>
<location>/error.jsp</location>
</error-page>
```

```
<error-page>
```

```
<error-code>505</error-code>  
<location>/error.jsp</location>  
</error-page>
```

pseudo-classes

From: <https://rwiki.repia.com/> - . - 2023.12

Permanent link: https://rwiki.repia.com/doku.php?id=wiki:was:tomcat:tip:tomcat_%EB%B2%84%EC%A0%84_%EC%A0%95%EB%B3%B4_%EC%88%A8%EA%B8%B0%EA%B8%B0 

Last update: 2023/07/06 15:59