

- description :
- author :
- email : bjlee@repia.com
- lastupdate : 2022-07-22

Intro

Tomcat Apache , Web 가 .
 Response Header Default Error Page
 .
 가 .

```
| * *
```

1.

1) CATALINA_HOME/server/lib

```
cd {$CATALINA_HOME}/lib
```

2) catalina.jar ServerInfo.properties

```
jar xvf catalina.jar org/apache/catalina/util/ServerInfo.properties
```

3) ServerInfo.properties

```
server.info=Apache Tomcat
server.number=
server.built=
```

4) catalina.jar ServerInfo.properties repackage

```
jar uf catalina.jar org/apache/catalina/util/ServerInfo.properties
```

2. Header()

server.xml

Connector server 가.

```
vi {$CATALINA_HOME}/conf/server.xml  
<Connector port="8080" ... server="apache tomcat" />
```

```
curl -i 192.168.10.86:8080/search/front/Search.jsp
```

```
HTTP/1.1 200 OK  
Server: apache tomcat  
Content-Type: text/html; charset=UTF-8  
Content-Language: koTransfer-Encoding: chunked  
Date: Tue , 02 Jan 2018 04:33:57 GMT
```

3. ErrorReportValve

- server.xml

```
<Host> </Host> <Valve> 가  
<Valve> Tomcat
```

가

```
<Valve className="org.apache.catalina.valves.ErrorReportValve"  
showReport="false" showServerInfo="false"/>
```

4. examples (/examples)

-

{\$CATALINA_HOME}/webapps/examples

5.

- 가

Ref

tomcat

From: <http://125.132.25.164/dokuwiki/> -

. - 2023.12

Permanent link:

http://125.132.25.164/dokuwiki/doku.php?id=wiki:was:tomcat:tip:tomcat_%EB%B3%B4%EC%95%88&rev=1658466709

Last update: **2022/07/22 14:11**

